Author Index

A

Abe, T. *See* Horikawa, Nakakuma, Nagakura, Kawakita, Kagimoto, Iwamori, Nagai, Abe, and Takatsuki.

Abo, T., Ohteki, T., Seki, S., Koyamada, N., Yoshikai, Y., Masuda, T., Rikiishi, H., and Kumagai, K. The appearance of T cells bearing self-reactive T cell receptor in the livers of mice injected with bacteria. 417.

Abrams, J. *See* de Waal Malefyt, Abrams, Bennett, Figdor, and de Vries.

Abrams, J.S. *See* Kita, Ohnishi, Okubo, Weiler, Abrams, and Gleich.

Adams, E.M. *See* Post, Liszewski, Adams, Tedja, Miller, and Atkinson.

Adorini, L., Moreno, J., Momburg, F., Hämmerling, G.J., Guéry, J.-C., Valli, A., and Fuchs, S. Exogenous peptides compete for the presentation of endogenous antigens to major histocompatibility complex class II–restricted T cells. 945.

Aelion, J.A. *See* Tomai, Aelion, Dockter, Majumdar, Spinella, and Kotb.

Ahearn, J.M. *See* Kalli, Hsu, Bartow, Ahearn, Matsumoto, Klickstein, and Fearon.

— *See* Martin, Yuryev, Kalli, Fearon, and Ahearn.

Akolkar, P. *See* Gulwani-Akolkar, Posnett, Janson, Grunewald, Wigzell, Akolkar, Gregersen, and Silver.

Alarcón, B. *See* Pérez-Aciego, Alarcón, Arnaiz-Villena, Terhorst, Timón, Segurado, and Regueiro.

Alderete, J.F. *See* Lehker, Arroyo, and Alderete.

Alford, C.E., King, T.E., Jr., and Campbell, P.A. Role of transferrin, transferrin receptors, and iron in macrophage listericidal activity. 459.

Allan, W. *See* Eichelberger, Allan, Zijlstra, Jaenisch, and Doherty.

Altevogt, P. *See* Gückel, Berek, Lutz, Altevogt, Schirrmacher, and Kyewski.

Anderson, K., Cresswell, P., Gammon, M., Hermes, J., Williamson, A., and Zweerink, H. Endogenously synthesized peptide with an endoplasmic reticulum signal sequence sensitizes antigen processing mutant cells to class I–restricted cell-mediated lysis. 489.

Anderson, S. *See* Frey, Bino, Kantor, Segal, Giardina, Roder, Anderson, and Ortaldo.

Andreasen, B.E. *See* Markholst, Eastman, Wilson, Andreasen, and Lernmark.

Antica, M. *See* Wu, Antica, Johnson, Scollay, and Shortman.

Anzola, J. *See* Yssel, Shanafelt, Soderberg, Schneider, Anzola, and Peltz.

Apicella, M.A. *See* Schneider, Griffiss, Boslego, Hitchcock, Zahos, and Apicella.

Araneo, B.A. *See* Daynes, Dowell, and Araneo.

Arlaud, G.J. *See* Ebenbichler, Thielens, Vornhagen, Marschang, Arlaud, and Dierich.

Arnaiz-Villena, A. *See* Pérez-Aciego, Alarcón, Arnaiz-Villena, Terhorst, Timón, Segurado, and Regueiro.

Arroyo, R. *See* Lehker, Arroyo, and Alderete.

Aruffo, A., Melnick, M.B., Linsley, P.S., and Seed, B. The lymphocyte glycoprotein CD6 contains a repeated domain structure characteristic of a new family of cell surface and secreted proteins. 949.

Ashkenazi, M. *See* Fletcher, Moore, Ashkenazi, De Vries, Overbeek, Williams, and Belmont.

Atkinson, J.P. *See* Post, Liszewski, Adams, Tedja, Miller, and Atkinson.

Augugliaro, R. *See* Moretta, Poggi, Pende, Tripodi, Orengo, Pella, Augugliaro, Bottino, Ciccone, and Moretta.

Azuma, M. *See* Phillips, McKinney, Azuma, Spits, and Lanier.

B

Baggiolini, M. *See* Walz, Burgener, Car, Baggiolini, Kunkel, and Strieter.

Ballou, L.R. *See* Candela, Barker, and Ballou.

Band, H. *See* DerSimonian, Band, and Brenner.

— *See* Uyemura, Deans, Band, Ohmen, Panchamoorthy, Morita, Rea, and Modlin.

Bankert, R.B. *See* Parikh, Nakai, Yokota, Bankert, and Tücker.

Barkans, J. *See* Moqbel, Hamid, Ying, Barkans, Hartnell, Tsicopoulos, Wardwal, and Kay.

Barker, S.C. *See* Candela, Barker, and Ballou.

Barr, P.J., Green, K.M., Gibson, H.L., Bathurst, I.C., Quakyi, I.A., and Kaslow, D.C. Recombinant Pfs25 protein of *Plasmodium faciparum* elicits malaria transmission-blocking immunity in experimental animals. 1203.

Bartow, T.J. *See* Kalli, Hsu, Bartow, Ahearn, Matsumoto, Klickstein, and Fearon.

Bartram, C.R. *See* Schwarz, Hansen-Hagge, Knobloch, Friedrich, Kleihauer, and Bartram.

Basse, P., Herberman, R.B., Nannmark, U., Johansson, B.R., Hokland, M., Wasserman, K., and Goldfarb, R.H. Accumulation of adoptively transferred adherent, lymphokine-activated killer cells in murine metastases. 479.

Bathurst, I.C. *See* Barr, Green, Gibson, Bathurst, Quakyi, and Kaslow.

Baum, C. *See* Péault, Weissman, Baum, McCune, and Tsukamoto.

Bavisotto, L., Kaushansky, K., Lin, N., and Hromas, R. Antisense oligonucleotides from the stage-specific myeloid zinc finger gene MZF-1 inhibit granulopoiesis in vitro. 1097.

Belich, M.P. *See* Madrigal, Belich, Benjamin, Little, Hildebrand, Mann, and Parham.

Bellomo, R. *See* Mingari, Poggi, Biassoni, Bellomo, Ciccone, Pella, Morelli, Verdiani, Moretta, and Moretta.

Belmont, J.W. *See* Fletcher, Moore, Ashkenazi, De Vries, Overbeek, Williams, and Belmont.

Benjamin, R.J. *See* Madrigal, Belich, Benjamin, Little, Hildebrand, Mann, and Parham.

Benjamin, W.H., Jr., Yother, J., Hall, P., and Briles, D.E. The *Salmonella typhimurium* locus *mviA* regulates virulence in *Ity*^{s} but not *Ity*^{r} mice: functional *mviA* results in avirulence; mutant (nonfunctional) *mviA* results in virulence. 1073.

Bennett, B. *See* de Waal Malefyt, Abrams, Bennett, Figdor, and de Vries.

Bennink, J.R. *See* Cox, Bennink, and Yewdell.

Benoist, C. *See* Candéias, Waltzinger, Benoist, and Mathis.

Berek, C. *See* Gückel, Berek, Lutz, Altevogt, Schirrmacher, and Kyewski.

Beretta, A. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.

Berg, E.L., Yoshino, T., Rott, L.S., Robinson, M.K., Warnock, R.A., Kishimoto, T.K., Picker, L.J., and Butcher, E.C. The cutaneous lymphocyte antigen is a skin lymphocyte homing receptor for the vascular lectin endothelial cell–leukocyte adhesion molecule 1. 1461.

Berkovic, D. *See* Schütze, Berkovic, Tomsing, Unger, and Krönke.

Berse, B. *See* Dvorak, Sioussat, Brown, Berse, Nagy, Sotrel, Manseau, Van De Water, and Senger.

Bertoletti, A. *See* Penna, Chisari, Bertoletti, Missale, Fowler, Giuberti, Fiaccadori, and Ferrari.

Besa, E.C. *See* Friedman, Cho, Goldman, Carmack, Besa, Hardy, and Silberstein.

Beutler, B. *See* Peppel, Crawford, and Beutler.

Beyers, A.D. *See* Spruyt, Glennie, Beyers, and Williams.

Biassoni, R. *See* Mingari, Poggi, Biassoni, Bellomo, Ciccone, Pella, Morelli, Verdiani, Moretta, and Moretta.

Bino, T. *See* Frey, Bino, Kantor, Segal, Giardina, Roder, Anderson, and Ortaldo.

Biswas-Hughes, G. *See* Champion, Page, Parish, Rayner, Dawe, Biswas-Hughes, Cooke, Geysen, and Roitt.

Black, R.A. *See* Mizutani, Schechter, Lazarus, Black, and Kupper.

Blackman, M.A. *See* Woodland, Lund, Happ, Blackman, Palmer, and Corley.

Blank, K.J. *See* Punt, Kubo, Saito, Finkel, Kathiresan, Blank, and Hashimoto.

Blankenstein, T. *See* Hock, Dorsch, Diamantstein, and Blankenstein.

Bleuthmann, H. *See* van Meerwijk, Romagnoli, Iglesias, Bluethmann, and Steinmetz.
Blume, K.G. *See* Schmidt-Wolf, Negrin, Kiem, Blume, and Weissman.
Bogdan, C., Vodovotz, Y., and Nathan, C. Macrophage deactivation by interleukin 10. 1549.
Boggs, S.S. *See* Ildstad, Wren. Boggs, Hronakes, Vecchini, and Van den Brink.
Boniface, J.J. *See* Wettstein, Boniface, Reay, Schild, and Davis.
Bono, C. *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.
Borrow, P., Tishon, A., and Oldstone, M.B.A. Infection of lymphocytes by a virus that aborts cytotoxic T lymphocyte activity and establishes persistent infection. 203.
Boslego, J.W. *See* Schneider, Griffiss, Boslego, Hitchcock, Zahos, and Apicella.
Bottino, C. *See* Moretta, Poggi, Pende, Tripodi, Orengo, Pella, Augugliaro, Bottino, Ciccone, and Moretta.
Braciale, T.J. *See* Hahn, Braciale, and Braciale.
— *See* Milligan, Flaherty, Braciale, and Braciale.
— *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.
Braciale, V.L. *See* Hahn, Braciale, and Braciale.
— *See* Milligan, Flaherty, Braciale, and Braciale.
— *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.
Bradley, L.M., Duncan, D.D., Tonkonogy, S., and Swain, S.L. Characterization of antigen-specific $CD4^+$ effector T cells in vivo: immunization results in a transient population of MEL-14^-, CD45RB$^-$ helper cells that secretes interleukin 2 (IL-2), IL-3, IL-4, and interferon γ. 547.
Brady, W. *See* Linsley, Brady, Urnes, Grosmaire, Damle, and Ledbetter.
Brand, A. *See* Falkenburg, Goselink, van der Harst, van Luxemburg-Heijs, Kooy-Winkelaar, Faber, de Kroon, Brand, Fibbe, Willemze, and Goulmy.
Brand, K. *See* Mackman, Brand, and Edgington.
Brattsand, G. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.
Braun, G., McKechnie, N.M., Connor, V., Gilbert, C.E., Engelbrecht, F., Whitworth, J.A., Taylor, D.W. Immunological cross-reactivity between a cloned antigen of *Onchocerca volvulus* and a component of the retinal pigment epithelium. 169.
Brenner, M.B. *See* DerSimonian, Band, and Brenner.
Brettler, D.B. *See* Koup, Pikora, Luzuriaga, Brettler, Day, Mazzara, and Sullivan.
Brightman, B.K., Li, Q.-X., Trepp, D.J., and Fan, H. Differential disease restriction of Moloney and Friend murine leukemia viruses by the mouse *R mcf* gene is governed by the viral long terminal repeat. 389.
Briles, D.E. *See* Benjamin, Yother, Hall, and Briles.
Brombacher, F., Köhler, G., and Eibel, H. B cell tolerance in mice transgenic for anti-CD8 immunoglobulin μ chain. 1335.
Brot, N. *See* Chu, Brot, Weissbach, and Elkon.
Brown, E.L. *See* Hatzfeld, Li, Brown, Sookdeo, Levesque, O'Toole, Gurney, Clark, and Hatzfeld.
Brown, L.F. *See* Dvorak, Sioussat, Brown, Berse, Nagy, Sotrel, Manseau, Van De Water, and Senger.
Brown, L.R. *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.
Broxmeyer, H.E., Lu, L., Hangoc, G., Cooper, S., Hendrie, P.C., Ledbetter, J.A., Xiao, M., Williams, D.E., and Shen, F.-W. CD45 cell surface antigens are linked to stimulation of early human myeloid progenitor cells by interleukin 3 (IL-3), granulocyte/macrophage colony-stimulating factor (GM-CSF), a GM-CSF/IL-3 fusion protein, and mast cell growth factor (a c-*kit* ligand). 447.
Brunelle, S. *See* Yang, Makita, Horii, Brunelle, Cerami, Sehajpal, Suthanthiran, and Vlassara.
Büller, H.R. *See* van der Poll, Levi, Büller, van Deventer, de Boer, Hack, and ten Cate.
Burgener, R. *See* Walz, Burgener, Car, Baggiolini, Kunkel, and Strieter.
Butcher, E.C. *See* Berg, Yoshino, Rott, Robinson, Warnock, Kishimoto, Picker, and Butcher.
Buttò, S. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.

C

Campbell, P.A. *See* Alford, King, and Campbell.
Candéias, S., Waltzinger, C., Benoist, C., and Mathis, D. The $V\beta17^+$ T cell repertoire: skewed $J\beta$ usage after thymic selection; dissimilar CDR3s in $CD4^+$ versus $CD8^+$ cells. 989.
Candela, M., Barker, S.C., and Ballou, L.R. Sphingosine synergistically stimulates tumor necrosis factor α-induced prostaglandin E_2 production in human fibroblasts. 1363.
Car, B. *See* Walz, Burgener, Car, Baggiolini, Kunkel, and Strieter.
Carey, F. *See* Relton, Strijbos, O'Shaughnessy, Carey, Forder, Tilders, and Rothwell.
Carmack, C.E. *See* Friedman, Cho, Goldman, Carmack, Besa, Hardy, and Silberstein.
Casadevall, A., and Scharff, M.D. The mouse antibody response to infection with *Cryptococcus neoformans*: V_H and V_L usage in polysaccharide binding antibodies. 151.
Casanova, J.-L., Romero, P., Widmann, C., Kourilsky, P., and Maryanski, J.L. T cell receptor genes in a series of class I major histocompatibility complex–restricted cytotoxic T lymphocyte clones specific for a *Plasmodium berghei* nonapeptide: implications for T cell allelic exclusion and antigen-specific repertoire. 1371.
Caton, A.J. *See* Stark and Caton.
Cazenave, P.-A. *See* Six, Jouvin-Marche, Loh, Cazenave, and Marche.
Cerami, A. *See* Li, Sehajpal, Khanna, Vlassara, Cerami, Stenzel, and Suthanthiran.
— *See* Yang, Makita, Horii, Brunelle, Cerami, Sehajpal, Suthanthiran, and Vlassara.
Champion, B.R., Page, K.R., Parish, N., Rayner, D.C., Dawe, K., Biswas-Hughes, G., Cooke, A., Geysen, M., and Roitt, I.M. Identification of a thyroxine-containing self-epitope of thyroglobulin which triggers thyroid autoreactive T cells. 363.
Chan, E.K.L., Imai, H., Hamel, J.C., and Tan, E.M. Human autoantibody to RNA polymerase I transcription factor hUBF. Molecular identity of nucleolus organizer region autoantigen NOR-90 and ribosomal RNA transcription upstream binding factor. 1239.
Chien, Y.-h. *See* Iwashima, Davis, and Chien.
Chisari, F.V. *See* Penna, Chisari, Bertoletti, Missale, Fowler, Giuberti, Fiaccadori, and Ferrari.
Cho, E.A. *See* Friedman, Cho, Goldman, Carmack, Besa, Hardy, and Silberstein.
Chu, J.-L., Brot, N., Weissbach, H., and Elkon, K. Lupus antiribosomal P antisera contain antibodies to a small fragment of 28S rRNA located in the proposed ribosomal GTPase center. 507.
Chung, P. *See* Keshav, Chung, Milon, and Gordon.
Ciccone, E. *See* Mingari, Poggi, Biassoni, Bellomo, Ciccone, Pella, Morelli, Verdiani, Moretta, and Moretta.
— *See* Moretta, Poggi, Pende, Tripodi, Orengo, Pella, Augugliaro, Bottino, Ciccone, and Moretta.
Clark, S.C. *See* Hatzfeld, Li, Brown, Sookdeo, Levesque, O'Toole, Gurney, Clark, and Hatzfeld.
Coffee, R. *See* Soloway, Fish, Passmore, Gefter, Coffee, and Manser.
Cole, B.C. *See* Friedman, Crow, Tumang, Tumang, Xu, Hodtsev, Cole, and Posnett.
Coligan, J.E. *See* Sant, Hendrix, Coligan, Maloy, and Germain.
Conlan, J.W., and North, R.J. Neutrophil-mediated dissolution of infected host cells as a defense strategy against a facultative intracellular bacterium. 741.
Connor, V. *See* Braun, McKechnie, Connor, Gilbert, Engelbrecht, Whitworth, and Taylor.
Cook, R.G. *See* Shawar, Vyas, Rodgers, Cook, and Rich.
Cooke, A. *See* Champion, Page, Parish, Rayner, Dawe, Biswas-Hughes, Cooke, Geysen, and Roitt.
Coombs, R.W. *See* Klebanoff and Coombs.
Cooper, D.L. *See* Dougherty, Lansdorp, Cooper, and Humphries.
Cooper, S. *See* Broxmeyer, Lu, Hangoc, Cooper, Hendrie, Ledbetter, Xiao, Williams, and Shen.
Corbí, A.L. *See* Postigo, Corbí, Sánchez-Madrid, and de Landázuri.
Corley, R.B. *See* Lund and Corley.
— *See* Woodland, Lund, Happ, Blackman, Palmer, and Corley.
Corradin, G. *See* Romero, Corradin, Luescher, and Maryanski.
Cox, D.W. *See* Walter, Dosch, and Cox.

Cox, J.H., Bennink, J.R., and Yewdell, J.W. Retention of adenovirus E19 glycoprotein in the endoplasmic reticulum is essential to its ability to block antigen presentation. 1629.
Coyne, K.E. *See* Lublin and Coyne.
Crawford, D. *See* Peppel, Crawford, and Beutler.
Cresswell, P. *See* Anderson, Cresswell, Gammon, Hermes, Williamson, and Zweerink.
Crow, M.K. *See* Friedman, Crow, Tumang, Tumang, Xu, Hodtsev, Cole, and Posnett.
Cullen, B.R. *See* Weinberg, Matthews, Cullen, and Malim.

D

Daibata, M. *See* Takagi, Daibata, Last, Humphreys, Parker, and Sairenji.
Dallman, M.J., Larsen, C.P., and Morris, P.J. Cytokine gene transcription in vascularised organ grafts: analysis using semiquantitative polymerase chain reaction. 493.
Damle, N.K. *See* Linsley, Brady, Urnes, Grosmaire, Damle, and Ledbetter.
Davis, M.M. *See* Iwashima, Davis, and Chien.
— *See* Wettstein, Boniface, Reay, Schild, and Davis.
Dawe, K. *See* Champion, Page, Parish, Rayner, Dawe, Biswas-Hughes, Cooke, Geysen, and Roitt.
Day, E.S. *See* Koup, Pikora, Luzuriaga, Brettler, Day, Mazzara, and Sullivan.
Daynes, R.A., Dowell, T., and Araneo, B.A. Platelet-derived growth factor is a potent biologic response modifier of T cells. 1323.
Deans, R.J. *See* Uyemura, Deans, Band, Ohmen, Panchamoorthy, Morita, Rea, and Modlin.
de Boer, J.P. *See* van der Poll, Levi, Büller, van Deventer, de Boer, Hack, and ten Cate.
De Carli, M. *See* Del Prete, De Carli, Ricci, and Romagnani.
de Fougerolles, A.R., Stacker, S.A., Schwarting, R., and Springer, T.A. Characterization of ICAM-2 and evidence for a third counter-receptor for LFA-1. 253.
de Kroon, J. *See* Falkenburg, Goselink, van der Harst, van Luxemburg-Heijs, Kooy-Winkelaar, Faber, de Kroon, Brand, Fibbe, Willemze, and Goulmy.
de Landázuri, M.O. *See* Postigo, Corbí, Sánchez-Madrid, and de Landázuri.
Del Prete, G.F., De Carli, M., Ricci, M., and Romagnani, S. Helper activity for immunoglobulin synthesis of T helper type 1 (Th1) and Th2 human T cell clones: the help of Th1 clones is limited by their cytolytic capacity. 809.
Deres, K. *See* Falk, Rötzschke, Deres, Metzger, Jung, and Rammensee.
— *See* Schild, Norda, Deres, Falk, Rötzschke, Weismüller, Jung, and Rammensee.
DerSimonian, H., Band, H., and Brenner, M.B. Increased frequency of T cell receptor Vα12.1 expression on $CD8^+$ T cells: evidence that Vα participates in shaping the peripheral T cell repertoire. 639.
De Santis, C. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.
de Vries, J.E. *See* de Waal Malefyt, Abrams, Bennett, Figdor, and de Vries.
— *See* de Waal Malefyt, Haanen, Spits, Roncarolo, te Velde, Figdor, Johnson, Kastelein, Yssel, and de Vries.
De Vries, P. *See* Fletcher, Moore, Ashkenazi, De Vries, Overbeek, Williams, and Belmont.
de Vries, R.R.P. *See* Haanen, de Waal Malefijt, Res, Kraakman, Ottenhoff, de Vries, and Spits.
de Waal Malefyt, R., Abrams, J., Bennett, B., Figdor, C.G., and de Vries, J.E. Interleukin 10 (IL-10) inhibits cytokine synthesis by human monocytes: an autoregulatory role of IL-10 produced by monocytes. 1209.
—, Haanen, J., Spits, H., Roncarolo, M.-G., te Velde, A., Figdor, C., Johnson, K., Kastelein, R., Yssel, H., and de Vries, J.E. Interleukin 10 (IL-10) and viral IL-10 strongly reduce antigen-specific human T cell proliferation by diminishing the antigen-presenting capacity of monocytes via downregulation of class II major histocompatibility complex expression. 915.
— *See* Haanen, de Waal Malefijt, Res, Kraakman, Ottenhoff, de Vries, and Spits.
Diamantstein, T. *See* Hock, Dorsch, Diamantstein, and Blankenstein.
Diamond, B. *See* Manheimer-Lory, Katz, Pillinger, Ghossein, Smith, and Diamond.
Diamond, D.J., Szalay, P., Symer, D., Hao, P., Shin, H.S., Dintzis, R.Z., Dintzis, H.M., Reinherz, E.L., and Siliciano, R.F. Major histocompatibility complex independent T cell receptor-antigen interaction: functional analysis using fluorescein derivatives. 229.
Dierich, M.P. *See* Ebenbichler, Thielens, Vornhagen, Marschang, Arlaud, and Dierich.
Dinarello, C.A. *See* Vannier, Miller, and Dinarello.
Dintzis, H.M. *See* Diamond, Szalay, Symer, Hao, Shin, Dintzis, Dintzis, Reinherz, and Siliciano.
Dintzis, R.Z. *See* Diamond, Szalay, Symer, Hao, Shin, Dintzis, Dintzis, Reinherz, and Siliciano.
Dockter, M.E. *See* Tomai, Aelion, Dockter, Majumdar, Spinella, and Kotb.
Doerfler, M.E. *See* Ooi, Weiss, Doerfler, and Elsbach.
Doherty, P.C. *See* Eichelberger, Allan, Zijlstra, Jaenisch, and Doherty.
Dorsch, M. *See* Hock, Dorsch, Diamantstein, and Blankenstein.
Dosch, H.M. *See* Walter, Dosch, and Cox.
Doskow, J. *See* Wilkinson, Doskow, von Borstel, Fong, and MacLeod.
Dougherty, G.J., Lansdorp, P.M., Cooper, D.L., and Humphries, R.K. Molecular cloning of CD44R1 and CD44R2, two novel isoforms of the human CD44 lymphocyte "homing" receptor expressed by hemopoietic cells. 1.
Dowell, T. *See* Daynes, Dowell, and Araneo.
Doyle, C. *See* Goldfeld, Strominger, and Doyle.
Drouet, C. *See* Healy, Drouet, Romero, Jaulin, and Maryanski.
Duff, G.W. *See* Symons, Eastgate, and Duff.
Duncan, D.D. *See* Bradley, Duncan, Tonkonogy, and Swain.
Dvorak, H.F., Sioussat, T.M., Brown, L.F., Berse, B., Nagy, J.A., Sotrel, A., Manseau, E.J., Van De Water, L., and Senger, D.R. Distribution of vascular permeability factor (vascular endothelial growth factor) in tumors: concentration in tumor blood vessels. 1275.

E

Eastgate, J.A. *See* Symons, Eastgate, and Duff.
Eastman, S. *See* Markholst, Eastman, Wilson, Andreasen, and Lernmark.
Ebenbichler, C.F., Thielens, N.M., Vornhagen, R., Marschang, P., Arlaud, G.J., and Dierich, M.P. Human immunodeficiency virus type 1 activates the classical pathway of complement by direct C1 binding through specific sites in the transmembrane glycoprotein gp41. 1417.
Edgington, T.S. *See* Mackman, Brand, and Edgington.
Eibel, H. *See* Brombacher, Köhler, and Eibel.
Eichelberger, M., Allan, W., Zijlstra, M., Jaenisch, R., and Doherty, P.C. Clearance of influenza virus respiratory infection in mice lacking class I major histocompatibility complex–restricted $CD8^+$ T cells. 875.
Elkon, K. *See* Chu, Brot, Weissbach, and Elkon.
Elsbach, P. *See* Ooi, Weiss, Doerfler, and Elsbach.
Engelbrecht, F. *See* Braun, McKechnie, Connor, Gilbert, Engelbrecht, Whitworth, and Taylor.
Ennis, E. *See* van Seventer, Newman, Shimizu, Nutman, Tanaka, Horgan, Gopal, Ennis, O'Sullivan, Grey, and Shaw.

F

Faath, S. *See* Rötzshcke, Falk, Faath, and Rammensee.
Faber, L.M. *See* Falkenberg, Goselink, van der Harst, van Luxemburg-Heijs, Kooy-Winkelaar, Faber, de Kroon, Brand, Fibbe, Willemze, and Goulmy.
Falk, K., Rötzschke, O., Deres, K., Metzger, J., Jung, G., and Rammensee, H.-G. Identification of naturally processed viral nonapeptides allows their quantification in infected cells and suggests an allele-specific T cell epitope forecast. 425.
— *See* Rötzschke, Falk, Faath, and Rammensee.
— *See* Schild, Norda, Deres, Falk, Rötzschke, Wiesmüller, Jung, and Rammensee.

Falkenburg, J.H.F., Goselink, H.M., van der Harst, D., van Luxemburg-Heijs, S.A.P., Kooy-Winkelaar, Y.M.C., Faber, L.M., de Kroon, J., Brand, A., Fibbe, W.E., Willemze, R., and Goulmy, E. Growth inhibition of clonogenic leukemic precursor cells by minor histocompatibility antigen–specific cytotoxic T lymphocytes. 27.

Fan, H. *See* Brightman, Li, Trepp, and Fan.

Fathman, C.G. *See* Ruberti, Gaur, Fathman, and Livingstone.

— *See* Shizuru, Taylor-Edwards, Livingstone, and Fathman.

Fearon, D.T. *See* Kalli, Hsu, Bartow, Ahearn, Matsumoto, Klickstein, and Fearon.

— *See* Martin, Yuryev, Kalli, Fearon, and Ahearn.

Feeney, A.J. Junctional sequences of fetal T cell receptor β chains have few N regions. 115.

Feldmann, M. *See* Hawrylowicz, Howells, and Feldmann.

Feng, S.-H., and Stein, K.E. V_H gene family expression in mice with the *xid* defect. 45.

Fernandez-Botran, R., and Vitetta, E.S. Evidence that natural murine soluble interleukin 4 receptors may act as transport proteins. 673.

Ferrari, C. *See* Penna, Chisari, Bertoletti, Missale, Fowler, Giuberti, Fiaccadori, and Ferrari.

Fiaccadori, F. *See* Penna, Chisari, Bertoletti, Missale, Fowler, Giuberti, Fiaccadori, and Ferrari.

Fibbe, W.E. *See* Falkenburg, Goselink, van der Harst, van Luxemburg-Heijs, Kooy-Winkelaar, Faber, de Kroon, Brand, Fibbe, Willemze, and Goulmy.

Figdor, C. *See* de Waal Malefyt, Haanen, Spits, Roncarolo, te Velde, Figdor, Johnson, Kastelein, Yssel, and de Vries.

Figdor, C.G. *See* de Waal Malefyt, Abrams, Bennett, Figdor, and de Vries.

Fingeroth, J.D. *See* Freeman, Gray, Gimmi, Lombard, Zhou, White, Fingeroth, Gribben, and Nadler.

Finkel, T.H. *See* Punt, Kubo, Saito, Finkel, Kathiresan, Blank, and Hashimoto.

Finkelman, F.D., Svetic, A., Gresser, I., Snapper, C., Holmes, J., Trotta, P.P., Katona, I.M., and Gause, W.C. Regulation by interferon α of immunoglobulin isotype selection and lymphokine production in mice. 1179.

Fischer, R.T. *See* Kenny, O'Connell, Sieckmann, Fischer, and Longo.

Fish, S. *See* Soloway, Fish, Passmore, Gefter, Coffee, and Manser.

Flaherty, L. *See* Milligan, Flaherty, Braciale, and Braciale.

Fleming, S.C. *See* Freedman, Gibson, Fleming, Spry, and Griffin.

Fletcher, F.A., Moore, K.A., Ashkenazi, M., De Vries, P., Overbeek, P.A., Williams, D.E., and Belmont, J.W. Leukemia inhibitory factor improves survival of retroviral vector-infected hematopoietic stem cells in vitro, allowing efficient long-term expression of vector-encoded human adenosine deaminase in vivo. 837.

Fong, A.M. *See* Wilkinson, Doskow, von Borstel, Fong, and MacLeod.

Forder, R.A. *See* Relton, Strijbos, O'Shaughnessy, Carey, Forder, Tilders, and Rothwell.

Fossati, L. *See* Merino, Fossati, Lacour, and Izui.

Fowler, P. *See* Penna, Chisari, Bertoletti, Missale, Fowler, Giuberti, Ficcadori, and Ferrari.

Fox, R.I. *See* Pisa, Pisa, Kang, and Fox.

Fox, R.O. *See* Sanders, Fox, and Kavathas.

Freedman, A.R., Gibson, F.M., Fleming, S.C., Spry, C.J., and Griffin, G.E. Human immunodeficiency virus infection of eosinophils in human bone marrow cultures. 1661.

Freeman, G.J., Gray, G.S., Gimmi, C.D., Lombard, D.B., Zhou, L.-J., White, M., Fingeroth, J.D., Gribben, J.G., and Nadler, L.M. Structure, expression, and T cell costimulatory activity of the murine homologue of the human B lymphocyte activation antigen B7. 625.

Frey, J.L., Bino, T., Kantor, R.R.S., Segal, D.M., Giardina, S.L., Roder, J., Anderson, S., and Ortaldo, J.R. Mechanism of target cell recognition by natural killer cells: characterization of a novel triggering molecule restricted to $CD3^-$ large granular lymphocytes. 1527.

Friedman, D.F., Cho, E.A., Goldman, J., Carmack, C.E., Besa, E.C., Hardy, R.R., and Silberstein, L.E. The role of clonal selection in the pathogenesis of an autoreactive human B cell lymphoma. 525.

Friedman, S.M., Crow, M.K., Tumang, J.R., Tumang, M., Xu, Y., Hodtsev, A.S., Cole, B.C., and Posnett, D.N. Characterization of human T cells reactive with the *Mycoplasma arthritidis*–derived superantigen (MAM): generation of a monoclonal antibody against $V\beta17$, the T cell receptor gene product expressed by a large fraction of MAM-reactive human T cells. 891.

Friedrich, W. *See* Schwarz, Hansen-Hagge, Knobloch, Friedrich, Kleihauer, and Bartram.

Fuchs, S. *See* Adorini, Moreno, Momburg, Hämmerling, Guéry, Valli, and Fuchs.

Fujiwara, H. *See* Kitagawa, Iwata, Sato, Shimizu, Hamaoka, and Fujiwara.

Fung-Leung, W.-P., Kündig, T.M., Zinkernagel, R.M., and Mak, T.W. Immune response against lymphocytic choriomeningitis virus infection in mice without CD8 expression. 1425.

G

Galli, S.J. *See* Gordon and Galli.

— *See* Tsai, Shih, Newlands, Takeishi, Langley, Zsebo, Miller, Geissler, and Galli.

Gammon, M. *See* Anderson, Cresswell, Gammon, Hermes, Williamson, and Zweerink.

Gao, E.-K., Kosaka, H., Surh, C.D., and Sprent, J. T cell contact with Ia antigens on nonhemopoietic cells in vivo can lead to immunity rather than tolerance. 435.

Gaur, A. *See* Ruberti, Gaur, Fathman, and Livingstone.

Gause, W.C. *See* Finkelman, Svetic, Gresser, Snapper, Holmes, Trotta, Katona, and Gause.

Gefter, M. *See* Soloway, Fish, Passmore, Gefter, Coffee, and Manser.

Geissler, E.N. *See* Tsai, Shih, Newlands, Takeishi, Langley, Zsebo, Miller, Geissler, and Galli.

Germain, R.N. *See* Sant, Hendrix, Coligan, Maloy, and Germain.

Geysen, M. *See* Champion, Page, Parish, Rayner, Dawe, Biswas-Hughes, Cooke, Geysen, and Roitt.

Ghossein, C. *See* Manheimer-Lory, Katz, Pillinger, Ghossein, Smith, and Diamond.

Giacoletto, K.S. *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.

Giardina, S.L. *See* Frey, Bino, Kantor, Segal, Giardina, Roder, Anderson, and Ortaldo.

Giblin, P.A. *See* Sanders, Giblin, and Kavathas.

Gibson, F.M. *See* Freedman, Gibson, Fleming, Spry, and Griffin.

Gibson, H.L. *See* Barr, Green, Gibson, Bathurst, Quakyi, and Kaslow.

Gilbert, C.E. *See* Braun, McKechnie, Connor, Gilbert, Engelbrecht, Whitworth, and Taylor.

Gimmi, C.D. *See* Freeman, Gray, Gimmi, Lombard, Zhou, White, Fingeroth, Gribben, and Nadler.

Ginelli, E. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.

Giuberti, T. *See* Penna, Chisari, Bertoletti, Missale, Fowler, Giuberti, Fiaccadori, and Ferrari. 1565.

Glas, R. *See* Höglund, Glas, Öhlén, Ljunggren, and Kärre.

Gleich, G.J. *See* Kita, Ohnishi, Okubo, Weiler, Abrams, and Gleich.

Glennie, M.J. *See* Spruyt, Glennie, Beyers, and Williams.

Glimcher, L.H. *See* Ivashkiv and Glimcher.

Gold, D.P., Offner, H., Sun, D., Wiley, S., Vandenbark, A.A., and Wilson, D.B. Analysis of T cell receptor β chains in Lewis rats with experimental allergic encephalomyelitis: conserved complementarity determining region 3. 1467.

Goldfarb, R.H. *See* Basse, Herberman, Nannmark, Johansson, Hokland, Wasserman, and Golfarb.

Goldfeld, A.E., Strominger, J.L., and Doyle, C. Human tumor necrosis factor α gene regulation in phorbol ester stimulated T and B cell lines. 73.

Goldman, J. *See* Friedman, Cho, Goldman, Carmack, Besa, Hardy, and Silberstein.

Gopal, T.V. *See* van Seventer, Newman, Shimizu, Nutman, Tanaka, Horgan, Gopal, Ennis, O'Sullivan, Grey, and Shaw.

Gordon, J.R., and Galli, S.J. Release of both preformed and newly synthesized tumor necrosis factor α (TNF-α)/cachectin by mouse mast cells stimulated via the $Fc_\epsilon RI$. A mechanism for the sustained action of mast cell–derived TNF-α during IgE-dependent biological responses. 103.

Gordon, S. *See* Keshav, Chung, Milon, and Gordon.
— *See* Rabinowitz and Gordon.
Gorka, J. *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.
Goselink, H.M. *See* Falkenburg, Goselink, van der Harst, van Luxemburg-Heijs, Kooy-Winkelaar, Faber, de Kroon, Brand, Fibbe, Willemze, and Goulmy.
Goulmy, E. *See* Falkenburg, Goselink, van der Harst, van Luxemburg-Heijs, Kooy-Winkelaar, Faber, de Kroon, Brand, Fibbe, Willemze, and Goulmy.
Graham, M.B. *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.
Grassi, F., Meneveri, R., Gullberg, M., Lopalco, L., Rossi, G.B., Lanza, P., De Santis, C., Brattsand, G., Buttò, S., Ginelli, E., Beretta, A., and Siccardi, A.G. Human immunodeficiency virus type 1 gp120 mimics a hidden monomorphic epitope borne by class I major histocompatibility complex heavy chains. 53.
Gray, D., and Matzinger, P. T cell memory is short-lived in the absence of antigen. 969.
Gray, G.S. *See* Freeman, Gray, Gimmi, Lombard, Zhou, White, Fingeroth, Gribben, and Nadler.
Green, K.M. *See* Barr, Green, Gibson, Bathurst, Quakyi, and Kaslow.
Gregersen, P.K. *See* Gulwani-Akolkar, Posnett, Janson, Grunewald, Wigzell, Akolkar, Gregersen, and Silver.
Gresser, I. *See* Finkelman, Svetic, Gresser, Snapper, Holmes, Trotta, Katona, and Gause.
Grey, H. *See* van Seventer, Newman, Shimizu, Nutman, Tanaka, Horgan, Gopal, Ennis, O'Sullivan, Grey, and Shaw.
Gribben, J.G. *See* Freeman, Gray, Gimmi, Lombard, Zhou, White, Fingeroth, Gribben, and Nadler.
Griffin, G.E. *See* Freedman, Gibson, Fleming, Spry, and Griffin.
Griffiss, J.M. *See* Schneider, Griffiss, Boslego, Hitchcock, Zahos, and Apicella.
Grinstein, S. *See* Swallow, Grinstein, Sudsbury, and Rotstein.
Grosmaire, L.S. *See* Linsley, Brady, Urnes, Grosmaire, Damle, and Ledbetter.
Grunewald, J. *See* Gulwani-Akolkar, Posnett, Janson, Grunewald, Wigzell, Akolkar, Gregersen, and Silver.
Gückel, B., Berek, C., Lutz, M., Altevogt, P., Schirrmacher, V., and Kyewski, B.A. Anti-CD2 antibodies induce T cell unresponsiveness in vivo. 957.
Guéry, J.-C. *See* Adorini, Moreno, Momburg, Hämmerling, Guéry, Valli, and Fuchs.
Gullberg, M. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.
Gulwani-Akolkar, B., Posnett, D.N., Janson, C.H., Grunewald, J., Wigzell, H., Akolkar, F., Gregersen, P.K., and Silver, J. T cell receptor V-segment frequencies in peripheral blood T cells correlate with human leukocyte antigen type. 1139.
Guo, Y.-J. *See* Sy, Guo, and Stamenkovic.
Gurney, C. *See* Hatzfeld, Li, Brown, Sookdeo, Levesque, O'Toole, Gurney, Clark, and Hatzfeld.

H

Haanen, J. *See* de Waal Malefyt, Haanen, Spits, Roncarolo, te Velde, Figdor, Johnson, Kastelein, Yssel, and de Vries.
Haanen, J.B.A.G., de Waal Malefijt, R., Res, P.C.M., Kraakman, E.M., Ottenhoff, T.H.M., de Vries, R.R.P., and Spits, H. Selection of a human T helper type 1–like T cell subset by mycobacteria. 583.
Hack, C.E. *See* van der Poll, Levi, Büller, van Deventer, de Boer, Hack, and ten Cate.
Hahn, Y.S., Braciale, V.L., and Braciale, T.J. Presentation of viral antigen to class I major histocompatibility complex–restricted cytotoxic T lymphocyte. Recognition of an immunodominant influenza hemagglutinin site by cytotoxic T lymphocyte is independent of the position of the site in the hemagglutinin translation product. 733.
Hall, P. *See* Benjamin, Yother, Hall, and Briles.
Hamakaoka, T. *See* Kitagawa, Iwata, Sato, Shimizu, Hamaoka, and Fujiwara.
Hamasima, N. *See* Obata, Taguchi, Matsudaira, Hasegawa, Hamasima, and Takahashi.
Hamel, J.C. *See* Chan, Imai, Hamel, and Tan.
Hamid, Q. *See* Moqbel, Hamid, Ying, Barkans, Hartnell, Tsicopoulos, Wardlaw, and Kay.
Hämmerling, G.J. *See* Adorini, Moreno, Momburg, Hämmerling, Guéry, Valli, and Fuchs.
Hangoc, G. *See* Broxmeyer, Lu, Hangoc, Cooper, Hendrie, Ledbetter, Xiao, Williams, and Shen.
Hansen-Hagge, T.E. *See* Schwarz, Hansen-Hagge, Knobloch, Friedrich, Kleihauer, and Bartram.
Hao, P. *See* Diamond, Szalay, Symer, Hao, Shin, Dintzis, Dintzis, Reinherz, and Siliciano.
Happ, M.P. *See* Woodland, Lund, Happ, Blackman, Palmer, and Corley.
Hardy, R.R. *See* Friedman, Cho, Goldman, Carmack, Besa, Hardy, and Silberstein.
Hart, P.D., and Young, M.R. Ammonium chloride, an inhibitor of phagosome-lysosome fusion in macrophages, concurrently induces phagosome-endosome fusion, and opens a novel pathway: studies of a pathogenic mycobacterium and a nonpathogenic yeast. 881.
Hartnell, A. *See* Moqbel, Hamid, Ying, Barkans, Hartnell, Tsicopoulos, Wardlaw, and Kay.
Hasegawa, H. *See* Obata, Taguchi, Matsudaira, Hasegawa, Hamasima, and Takahashi.
Hashimoto, Y. *See* Punt, Kubo, Saito, Finkel, Kathiresan, Blank, and Hashimoto.
Hatzfeld, A. *See* Hatzfeld, Li, Brown, Sookdeo, Levesque, O'Toole, Gurney, Clark, and Hatzfeld.
Hatzfeld, J., Li, M.-L., Brown, E.L., Sookdeo, H., Levesque, J.-P., O'Toole, T., Gurney, C., Clark, S.C., and Hatzfeld, A. Release of early human hematopoietic progenitors from quiescence by antisense transforming growth factor β1 or Rb oligonucleotides. 925.
Hawrylowicz, C.M., Howells, G.L., and Feldmann, M. Platelet-derived interleukin 1 induces human endothelial adhesion molecule expression and cytokine production. 785.
Hayashi, S.-I. *See* Ogawa, Matsuzaki, Nishikawa, Hayashi, Kunisada, Sudo, Kina, Nakauchi, and Nishikawa.
Haynes, B.F. *See* Le, Lazorick, Whichard, Haynes, and Singer.
Healy, F., Drouet, C., Romero, P., Jaulin, C., and Maryanski, J.L. Conversion of a self peptide sequence into a K^d-restricted neoantigen by a Tyr substitution. 1657.
Hendrie, P.C. *See* Broxmeyer, Lu, Hangoc, Cooper, Hendrie, Ledbetter, Xiao, Williams, and Shen.
Hendrix, L.R. *See* Sant, Hendrix, Coligan, Maloy, and Germain.
Herberman, R.B. *See* Basse, Herberman, Nannmark, Johansson, Hokland, Wasserman, and Goldfarb.
Hermes, J. *See* Anderson, Cresswell, Gammon, Hermes, Williamson, and Zweerink.
Hibbs, M.L., Jakes, S., Stacker, S.A., Wallace, R.W., Springer, T.A. The cytoplasmic domain of the integrin lymphocyte function-associated antigen 1 β subunit: sites required for binding to intercellular adhesion molecule 1 and the phorbol ester-stimulated phosphorylation site. 1227.
Hildebrand, W.H. *See* Madrigal, Belich, Benjamin, Little, Hildebrand, Mann, and Parham.
Hitchcock, P.J. *See* Schneider, Griffiss, Boslego, Hitchcock, Zahos, and Apicella.
Hock, H., Dorsch, M., Diamantstein, T., and Blankenstein, T. Interleukin 7 induces $CD4^+$ T cell–dependent tumor rejection. 1291.
Hodtsev, A.S. *See* Friedman, Crow, Tumang, Tumang, Xu, Hodtsev, Cole, and Posnett.
Höglund, P., Glas, R., Öhlén, C., Ljunggren, H.-G., and Kärre, K. Alteration of the natural killer repertoire in H-2 transgenic mice: specificity of rapid lymphoma cell clearance determined by the H-2 phenotype of the target. 327.
Hokland, M. *See* Basse, Herberman, Nannmark, Johansson, Hokland, Wasserman, and Goldfarb.
Holmes, J. *See* Finkelman, Svetic, Gresser, Snapper, Holmes, Trotta, Katona, and Gause.
Hopman, C.T.P. *See* Weel, Hopman, and van Putten.
Horgan, K.J. *See* van Seventer, Newman, Shimizu, Nutman, Tanaka, Horgan, Gopal, Ennis, O'Sullivan, Grey, and Shaw.

Horii, Y. *See* Yang, Makita, Horii, Brunelle, Cerami, Sehajpal, Suthanthiran, and Vlassara.
Horikawa, K., Nakakuma, H., Nagakura, S., Kawakita, M., Kagimoto, T., Iwamori, M., Nagai, Y., Abe, T., and Takatsuki, K. Hemolysis of human erythrocytes is a new bioactivity of gangliosides. 1385.
Horta, M.F.M., and Ramalho-Pinto, F.J. Role of human decay-accelerating factor in the evasion of *Schistosoma mansoni* from the complement-mediating killing in vitro. 1399.
Horwitz, M.A. *See* Schlesinger and Horwitz.
Houssaint, E., Mansikka, A., and Vainio, O. Early separation of B and T lymphocyte precursors in chick embryo. 397.
Howells, G.L. *See* Hawrylowicz, Howells, and Feldmann.
Hromas, R. *See* Bavisotto, Kaushansky, Lin, and Hromas.
Hronakes, M.L. *See* Ildstad, Wren, Boggs, Hronakes, Vecchini, and Van den Brink.
Hsu, P. *See* Kalli, Hsu, Bartow, Ahearn, Matsumoto, Klickstein, and Fearon.
Humphreys, R.E. *See* Takagi, Daibata, Last, Humphreys, Parker, and Sairenji.
Humphries, R.K. *See* Dougherty, Lansdorp, Cooper, and Humphries.
Hurd, M. *See* Sprent, Schaefer, Hurd, Surh, and Ron.

I

Ianelli, C. *See* Sunshine, Jimmo, Ianelli, and Jarvis.
Iglesias, A. *See* van Meerwijk, Romagnoli, Iglesias, Bluethmann, and Steinmetz.
Ikeyama, S. *See* Miyake, Koyama, Seno, and Ikeyama.
Ikuta, K., and Weissman, I.L. The junctional modifications of a T cell receptor γ chain are determined at the level of thymic precursors. 1279.
Ildstad, S.T., Wren, S.M., Boggs, S.S., Hronakes, M.L., Vecchini, F., and Van den Brink, M.R.M. Cross-species bone marrow transplantation: evidence for tolerance induction, stem cell engraftment, and maturation of T lymphocytes in a xenogeneic stromal environment (rat → mouse). 467.
Imai, H. *See* Chan, Imai, Hamel, and Tan.
Itohara, S. *See* Wu, Van Kaer, Itohara, and Tonegawa.
Ivanyi, P. *See* Kievits and Ivanyi.
Ivashkiv, L.B., and Glimcher, L.H. Repression of class II major histocompatibility complex genes by cyclic AMP is mediated by conserved promoter elements. 1583.
Iwamori, M. *See* Horikawa, Nakakuma, Nagakura, Kawakita, Kagimoto, Iwamori, Nagai, Abe, and Takatsuki.
Iwashima, M., Davis, M.M., and Chien, Y.-h. A γ/δ T cell receptor heterodimer induces the expression of CD4 and CD8 in thymocytes. 293.
Iwata, H. *See* Kitagawa, Iwata, Sato, Shimizu, Hamaoka, and Fujiwara.
Izui, S. *See* Merino, Fossati, Lacour, and Izui.

J

Jaenisch, R. *See* Eichleberger, Allan, Zijlstra, Jaenisch, and Doherty.
Jakes, S. *See* Hibbs, Jakes, Stacker, Wallace, and Springer.
Janson, C.H. *See* Gulwani-Akolkar, Posnett, Janson, Grunewald, Wigzell, Akolkar, Gregersen, and Silver.
Jarvis, L. *See* Sunshine, Jimmo, Ianelli, and Jarvis.
Jaulin, C. *See* Healy, Drouet, Romero, Jaulin, and Maryanski.
Jefferies, W.A. *See* Lippé, Luke, Kuah, Lomas, and Jefferies.
Jefferis, R. *See* Mageed, MacKenzie, Stevenson, Yuksel, Shokri, Maziak, Jefferis, and Lydyard.
Jensen, P.E. Enhanced binding of peptide antigen to purified class II major histocompatibility glycoproteins at acidic pH. 1111.
— Reduction of disulfide bonds during antigen processing: evidence from a thiol-dependent insulin determinant. 1121.
Jiang, S., Lin, K., and Neurath, A.R. Enhancement of human immunodeficiency virus type 1 infection by antisera to peptides from the envelope glycoproteins gp120/gp41. 1557.
Jicha, D.L., Mulé, J.J., and Rosenberg, S.A. Interleukin 7 generates antitumor cytotoxic T lymphocytes against murine sarcomas with efficacy in cellular adoptive immunotherapy. 1511.
Jimmo, B.L. *See* Sunshine, Jimmo, Ianelli, and Jarvis.
Joag, S.V. *See* Zheng, Joag, Parr, Parr, and Young.
Johansson, B.R. *See* Basse, Herberman, Nannmark, Johansson, Hokland, Wasserman, and Goldfarb.
Johnson, G.R. *See* Wu, Antica, Johnson, Scollay, and Shortman.
Johnson, K. *See* de Waal Malefyt, Haanen, Spits, Roncarolo, te Velde, Figdor, Johnson, Kastelein, Yssel, and de Vries.
Jouvin-Marche, E. *See* Six, Jouvin-Marche, Loh, Cazenave, and Marche.
Jung, G. *See* Falk, Rötzschke, Deres, Metzger, Jung, and Rammensee.
— *See* Schild, Norda, Deres, Falk, Rötzschke, Weismüller, Jung, and Rammensee.

K

Kabeer, M. *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.
Kagimoto, T. *See* Horikawa, Nakakuma, Nagakura, Kawakita, Kagimoto, Iwamori, Nagai, Abe, and Takatsuki.
Kalli, K.R., Hsu, P., Bartow, T.J., Ahearn, J.M., Matsumoto, A.K., Klickstein, L.B., and Fearon, D.T. Mapping of the C3b-binding site of CR1 and construction of a $(CR1)_2$-$F(ab')_2$ chimeric complement inhibitor. 1451.
— *See* Martin, Yuryev, Kalli, Fearon, and Ahearn.
Kanemoto, T. *See* Matsuda, Kannan, Ushio, Kiso, Kanemoto, Suzuki, and Kitamura.
Kang, H.-I. *See* Pisa, Pisa, Kang, and Fox.
Kannan, Y. *See* Matsuda, Kannan, Ushio, Kiso, Kanemoto, Suzuki, and Kitamura.
Kantor, R.R.S. *See* Frey, Bino, Kantor, Segal, Giardina, Roder, Anderson, and Ortaldo.
Kärre, K. *See* Höglund, Glas, Öhlén, Ljunggren, and Kärre.
Kaslow, D.C. *See* Barr, Green, Gibson, Bathurst, Quakyi, and Kaslow.
Kastelein, R. *See* de Waal Malefyt, Haanen, Spits, Roncarolo, te Velde, Figdor, Johnson, Kastelein, Yssel, and de Vries.
Kathiresan, S. *See* Punt, Kubo, Saito, Finkel, Kathiresan, Blank, and Hashimoto.
Katona, I.M. *See* Finkelman, Svetic, Gresser, Snapper, Holmes, Trotta, Katona, and Gause.
Katz, J.B. *See* Manheimer-Lory, Katz, Pillinger, Ghossein, Smith, and Diamond.
Kaushansky, K. *See* Bavisotto, Kaushansky, Lin, and Hromas.
Kavathas, P. *See* Sanders, Fox, and Kavathas.
Kavathas, P. *See* Sanders, Giblin, and Kavathas.
Kawakita, M. *See* Horikawa, Nakakuma, Nagakura, Kawakita, Kagimoto, Iwamori, Nagai, Abe, and Takatsuki.
Kay, A.B. *See* Moqbel, Hamid, Ying, Barkans, Hartnell, Tsicopoulos, Wardlaw, and Kay.
Kempin, S. *See* Mellins, Kempin, Smith, Monji, and Pious.
Kenny, J.J., O'Connell, C., Sieckmann, D.G., Fischer, R.T., and Longo, D.L. Selection of antigen-specific idiotype-positive B cells in transgenic mice expressing a rearranged M167-μ heavy chain gene. 1189.
Keshav, S., Chung, P., Milon, G., and Gordon, S. Lysozyme is an inducible marker of macrophage activation in murine tissues as demonstrated by in situ hybridization. 1049.
Khanna, A. *See* Li, Sehajpal, Khanna, Vlassara, Cerami, Stenzel, and Suthanthiran.
Kiem, H.-P. *See* Schmidt-Wolf, Negrin, Kiem, Blume, and Weissman.
Kienker, L.J., Kuziel, W.A., and Tucker, P.W. T cell receptor γ and δ gene junctional sequences in SCID mice: excessive P nucleotide insertion. 769.
Kievits, F., and Ivanyi, P. A subpopulation of mouse cytotoxic T lymphocytes recognizes allogeneic H-2 class I antigens in the context of other H-2 class I molecules. 15.
Kim, C., Siminovitch, K.A., and Ochi, A. Reduction of lupus nephritis in MRL/*lpr* mice by a bacterial superantigen treatment. 1431.
Kina, T. *See* Ogawa, Matsuzaki, Nishikawa, Hayashi, Kunisada, Sudo, Kina, Nakauchi, and Nishikawa.

King, T.E., Jr. *See* Alford, King, and Campbell.
Kirberg, J. *See* von Boehmer, Kirberg, and Rocha.
Kirstein, M. *See* Skolnik, Yang, Makita, Radoff, Kirstein, and Vlassara.
Kishimoto, T.K. *See* Berg, Yoshino, Rott, Robinson, Warnock, Kishimoto, Picker, and Butcher.
Kiso, Y. *See* Matsuda, Kannan, Ushio, Kiso, Kanemoto, Suzuki, and Kitamura.
Kita, H., Ohnishi, T., Okubo, Y., Weiler, D., Abrams, J.S., and Gleich, G.J. Granulocyte/macrophage colony-stimulating factor and interleukin 3 release from human peripheral blood eosinophils and neutrophils. 745.
Kitagawa, S., Iwata, H., Sato, S., Shimizu, J., Hamaoka, T., and Fujiwara, H. Heterogenous graft rejection pathways in class I major histocompatibility complex–disparate combinations and their differential susceptibility to immunomodulation induced by intravenous presensitization with relevant alloantigens. 571.
Kitamura, Y. *See* Matsuda, Kannan, Ushio, Kiso, Kanemoto, Suzuki, and Kitamura.
Klebanoff, S.J., and Coombs, R.W. Viricidal effect of *Lactobacillus acidophilus* on human immunodeficiency virus type 1: possible role in heterosexual transmission. 289.
Kleihauer, E. *See* Schwarz, Hansen-Hagge, Knobloch, Friedrich, Kleihauer, and Bartram.
Klickstein, L.B. *See* Kalli, Hsu, Bartow, Ahearn, Matsumoto, Klickstein, and Fearon.
Knobloch, C. *See* Schwarz, Hansen-Hagge, Knobloch, Friedrich, Kleihauer, and Bartram.
Köhler, G. *See* Brombacher, Köhler, and Eibel.
Kooy-Winkelaar, Y.M.C. *See* Falkenburg, Goselink, van der Harst, van Luxemburg-Heijs, Kooy-Winkelaar, Faber, de Kroon, Brand, Fibbe, Willemze, and Goulmy.
Kosaka, H. *See* Gao, Kosaka, Surh, and Sprent.
Kotb, M. *See* Tomai, Aelion, Dockter, Majumdar, Spinella, and Kotb.
Koup, R.A., Pikora, C.A., Luzuriaga, K., Brettler, D.B., Day, E.S., Mazzara, G.P., and Sullivan, J.L. Limiting dilution analysis of cytotoxic T lymphocytes to human immunodeficiency virus *gag* antigens in infected persons: in vitro quantitation of effector cell populations with p17 and p24 specificities. 1593.
Kourilsky, P. *See* Casanova, Romero, Widmann, Kourilsky, and Maryanski.
Koyama, M. *See* Miyake, Koyama, Seno, and Ikeyama.
Koyamada, N. *See* Abo, Ohteki, Seki, Koyamada, Yoshikai, Masuda, Rikiishi, and Kumagai.
Kraakman, E.M. *See* Haanen, de Waal Malefijt, Res, Kraakman, Ottenhoff, de Vries, and Spits.
Kronenberg, M. *See* Teitell, Mescher, Olson, Littman, and Kronenberg.
Krönke, M. *See* Schütze, Berkovic, Tomsing, Unger, and Krönke.
Kuah, Y.T. *See* Lippé, Luke, Kuah, Lomas, and Jefferies.
Kubo, R.T. *See* Punt, Kubo, Saito, Finkel, Kathiresan, Blank, and Hashimoto.
Kumagai, K. *See* Abo, Ohteki, Seki, Koyamada, Yoshikai, Masuda, Rikiishi, and Kumagai.
Kündig, T.M. *See* Fung-Leung, Kündig, Zinkernagel, and Mak.
Kunisada, T. *See* Ogawa, Matsuzaki, Nishikawa, Hayashi, Kunisada, Sudo, Kina, Nakauchi, and Nishikawa.
Kunkel, S.L. *See* Walz, Burgener, Car, Baggiolini, Kunkel, and Strieter.
Kupper, T.S. *See* Mizutani, Schechter, Lazarus, Black, and Kupper.
Kuziel, W.A. *See* Kienker, Kuziel, and Tucker.
Kwon, N.S., Stuehr, D.J., and Nathan, C.F. Inhibition of tumor cell ribonucleotide reductase by macrophage-derived nitric oxide. 761.
Kyewski, B.A. *See* Gückel, Berek, Lutz, Altevogt, Schirrmacher, and Kyewski.

L

Lacour, M. *See* Merino, Fossati, Lacour, and Izui.
Langley, K.E. *See* Tsai, Shih, Newlands, Takeishi, Langley, Zsebo, Miller, Geissler, and Galli.
Lanier, L.L. *See* Phillips, McKinney, Azuma, Spits, and Lanier.
Lansdorp, P.M. *See* Dougherty, Lansdorp, Cooper, and Humphries.
Lanza, P. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.
Larsen, C.P. *See* Dallman, Larsen, and Morris.
Last, T.J. *See* Takagi, Daibata, Last, Humphreys, Parker, and Sairenji.
Lawlor, D.A., Warren, E., Taylor, P., and Parham, P. Gorilla class I major histocompatibility complex alleles: comparison to human and chimpanzee class I. 1491.
Lazarus, G. *See* Mizutani, Schechter, Lazarus, Black, and Kupper.
Lazorick, S. *See* Le, Lazorick, Whichard, Haynes, and Singer.
Le, P.T., Lazorick, S., Whichard, L.P., Haynes, B.F., and Singer, K.H. Regulation of cytokine production in the human thymus: epidermal growth factor and transforming growth factor α regulate mRNA levels of interleukin 1α (IL-α), IL-1β, and IL-6 in human thymic epithelial cells at a post-transcriptional level. 1147.
Ledbetter, J.A. *See* Broxmeyer, Lu, Hangoc, Cooper, Hendrie, Ledbetter, Xiao, Williams, and Shen.
— *See* Linsley, Brady, Urnes, Grosmaire, Damle, and Ledbetter.
Lehker, M.W., Arroyo, R., and Alderete, J.F. The regulation by iron of the synthesis of adhesins and cytoadherence levels in the protozoan *Trichomonas vaginalis*. 311.
Lernmark, Å. *See* Markholst, Eastman, Wilson, Andreasen, and Lernmark.
Levesque, J.-P. *See* Hatzfeld, Li, Brown, Sookdeo, Levesque, O'Toole, Gurney, Clark, and Hatzfeld.
Levi, M. *See* van der Poll, Levi, Büller, van Deventer, de Boer, Hack, and ten Cate.
Li, B., Sehajpal, P.K., Khanna, A., Vlassara, H., Cerami, A., Stenzel, K.H., and Suthanthiran, M. Differential regulation of transforming growth factor β and interleukin 2 genes in human T cells: demonstration by usage of novel competitor DNA constructs in the quantitative polymerase chain reaction. 1259.
Li, M.-L. *See* Hatzfeld, Li, Brown, Sookdeo, Levesque, O'Toole, Gurney, Clark, and Hatzfeld.
Li, Q.-X. *See* Brightman, Li, Trepp, and Fan.
Li, Y., Szabo, P., and Posnett, D.N. The genomic structure of human Vβ6 T cell antigen receptor genes. 1537.
Lider, O. *See* Miller, Lider, and Weiner.
Lin, K. *See* Jiang, Lin, and Neurath.
Lin, N. *See* Bavisotto, Kaushansky, Lin, and Hromas.
Linsley, P.S., Brady, W., Urnes, M., Grosmaire, L.S., Damle, N.K., and Ledbetter, J.A. CTLA-4 is a second receptor for the B cell activation antigen B7. 561.
— *See* Aruffo, Melnick, Linsley, and Seed.
Lippé, R., Luke, E., Kuah, Y.T., Lomas, C., and Jefferies, W.A. Adenovirus infection inhibits the phosphorylation of major histocompatibility complex class I proteins. 1159.
Liszewski, M.K. *See* Post, Liszewski, Adams, Tedja, Miller, and Atkinson.
Little, A.-M. *See* Madrigal, Belich, Benjamin, Little, Hildebrand, Mann, and Parham.
Littman, D.R. *See* Teitell, Mescher, Olson, Littman, and Kronenberg.
Livingstone, A. *See* Shizuru, Taylor-Edwards, Livingstone, and Fathman.
Livingstone, A.M. *See* Ruberti, Gaur, Fathman, and Livingstone.
Ljunggren, H.-G. *See* Höglund, Glas, Öhlén, Ljunggren, and Kärre.
Loh, D.Y. *See* Six, Jouvin-Marche, Loh, Cazenave, and Marche.
Lomas, C. *See* Lippé, Luke, Kuah, Lomas, and Jefferies.
Lombard, D.B. *See* Freeman, Gray, Gimmi, Lombard, Zhou, White, Fingeroth, Gribben, and Nadler.
Longo, D.L. *See* Kenny, O'Connell, Sieckmann, Fischer, and Longo.
Lopalco, L. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.
Lu, L. *See* Broxmeyer, Lu, Hangoc, Cooper, Hendrie, Ledbetter, Xiao, Williams, and Shen.
Lublin, D.M., and Coyne, K.E. Phospholipid-anchored and transmembrane versions of either decay-accelerating factor or membrane cofactor protein show equal efficiency in protection from complement-mediated cell damage. 35.
Luescher, I.F. *See* Romero, Corradin, Luescher, and Maryanski.
Luke, E. *See* Lippé, Luke, Kuah, Lomas, and Jefferies.
Lund, F.E., and Corley, R.B. Regulated expression of mouse mammary tumor proviral genes in cells of the B lineage. 1439.
— *See* Woodland, Lund, Happ, Blackman, Palmer, and Corley.
Lutz, M. *See* Gückel, Berek, Lutz, Altevogt, Schirrmacher, and Kyewski.
Luzuriaga, K. *See* Koup, Pikora, Luzuriaga, Brettler, Day, Mazzara, and Sullivan.
Lydyard, P.M. *See* Mageed, MacKenzie, Stevenson, Yuksel, Shokri, Maziak, Jefferis, and Lydyard.

Ma, A. *See* Quagliarello, Ma, Stukenbrok, and Palade.
McCarthy, J.B. *See* Verfaillie, McCarthy, and McGlave.
McCourt, D.W. *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.
McCune, J.M. *See* Péault, Weissman, Baum, McCune, and Tsukamoto.
McGlave, P.B. *See* Verfaillie, McCarthy, and McGlave.
McKechnie, N.M. *See* Braun, McKechnie, Connor, Gilbert, Engelbrecht, Whitworth, and Taylor.
MacKenzie, L.E. *See* Mageed, MacKenzie, Stevenson, Yuksel, Shokri, Maziak, Jefferis, and Lydyard.
McKinney, L. *See* Phillips, McKinney, Azuma, Spits, and Lanier.
Mackman, N., Brand, K., and Edgington, T.S. Lipopolysaccharide-mediated transcriptional activation of the human tissue factor gene in THP-1 monocytic cells requires both activator protein 1 and nuclear factor κB binding sites. 1517.
MacLeod, C. *See* Wilkinson, Doskow, von Borstel, Fong, and MacLeod.
Madrigal, J.A., Belich, M.P., Benjamin, R.J., Little, A.-M., Hildebrand, W.H., Mann, D.L., Parham, P. Molecular definition of a polymorphic antigen (LA45) of free HLA-A and -B heavy chains found on the surfaces of activated B and T cells. 1085.
Mageed, R.A., MacKenzie, L.E., Stevenson, F.K., Yuksel, B., Shokri, F., Maziak, B.R., Jefferis, R., and Lydyard, P.M. Selective expression of a V_HIV sub-family of immunoglobulin genes in human CD5$^+$ B lymphocytes from cord blood. 109.
Majumdar, G. *See* Tomai, Aelion, Dockter, Majumdar, Spinella, and Kotb.
Mak, T.W. *See* Fung-Leung, Kündig, Zinkernagel, and Mak.
Makita, Z. *See* Skolnik, Yang, Makita, Radoff, Kirstein, and Vlassara.
— *See* Yang, Makita, Horii, Brunelle, Cerami, Sehajpal, Suthanthiran, and Vlassara.
Malim, M.H. *See* Weinberg, Matthews, Cullen, and Malim.
Maloy, W.L. *See* Sant, Hendrix, Coligan, Maloy, and Germain.
Manheimer-Lory, A., Katz, J.B., Pillinger, M., Ghossein, C., Smith, A., and Diamond, B. Molecular characteristics of antibodies bearing an anti-DNA-associated idiotype. 1639.
Mann, D.L. *See* Madrigal, Belich, Benjamin, Little, Hildebrand, Mann, and Parham.
Manseau, E.J. *See* Dvorak, Sioussat, Brown, Berse, Nagy, Sotrel, Manseau, Van De Water, and Senger.
Manser, T. *See* Soloway, Fish, Passmore, Gefter, Coffee, and Manser.
Mansikka, A. *See* Houssaint, Mansikka, and Vainio.
Marche, P.N. *See* Six, Jouvin-Marche, Loh, Cazenave, and Marche.
Markholst, H., Eastman, S., Wilson, D., Andreasen. B.E., and Lernmark, Å. Diabetes segregates as a single locus in crosses between inbred BB rats prone or resistant to diabetes. 297.
Marschang, P. *See* Ebenbichler, Thielens, Vornhagen, Marschang, Arlaud, and Dierich.
Martin, D.R., Yuryev, A., Kalli, K.R., Fearon, D.T., and Ahearn, J.M. Determination of the structural basis for selective binding of Epstein-Barr virus to human complement receptor type 2. 1299.
Maryanski, J.L. *See* Casanova, Romero, Widmann, Kourilsky, and Maryanski.
— *See* Healy, Drouet, Romero, Jaulin, and Maryanski.
— *See* Romero, Corradin, Luescher, and Maryanski.
Masuda, T. *See* Abo, Ohteki, Seki, Koyamada, Yoshikai, Masuda, Rikiishi, and Kumagai.
Mathis, D. *See* Candéias, Waltzinger, Benoist, and Mathis.
Matsuda, H., Kannan, Y., Ushio, H., Kiso, Y., Kanemoto, T., Suzuki, H., and Kitamura, Y. Nerve growth factor induces development of connective tissue-type mast cells in vitro from murine bone marrow cells. 7.
Matsudaira, Y. *See* Obata, Taguchi, Matsudaira, Hasegawa, Hamasima, and Takahashi.
Matsumoto, A.K. *See* Kalli, Hus, Bartow, Ahearn, Matsumoto, Klickstein, and Fearon.
Matsuzaki, Y. *See* Ogawa, Matsuzaki, Nishikawa, Hayashi, Kunisada, Sudo, Kina, Nakauchi, and Nishikawa.
Matthews, T.J. *See* Weinberg, Matthews, Cullen, and Malim.
Matzilevich, D. *See* Pereira, Mejia, Ortega-Barria, Matzilevich, and Prioli.
Matzinger, P. *See* Gray and Matzinger.
Maziak, B.R. *See* Mageed, MacKenzie, Stevenson, Yuksel, Shokri, Maziak, Jefferis, and Lydyard.
Mazzara, G.P. *See* Koup, Pikora, Luzuriaga, Brettler, Day, Mazzara, and Sullivan.
Mejia, J.S. *See* Pereira, Mejia, Ortega-Barria, Matzilevich, and Prioli.
Mellins, E., Kempin, S., Smith, L., Monji, T., and Pious, D. A gene required for class II–restricted antigen presentation maps to the major histocompatibility complex. 1607.
Melnick, M.B. *See* Aruffo, Melnick, Linsley, and Seed.
Meneveri, R. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.
Merino, R., Fossati, L., Lacour, M., and Izui, S. Selective autoantibody production by *Yaa*$^+$ B cells in autoimmune Yaa$^+$-Yaa$^-$ bone marrow chimeric mice. 1023.
Mescher, M.F. *See* Teitell, Mescher, Olson, Littman, and Kronenberg.
Metzger, J. *See* Falk, Rötzschke, Deres, Metzger, Jung, Rammensee.
Mieno, M., Suto, R., Obata, Y., Udono, H., Takahashi, T., Shiku, H., and Nakayama, E. CD4$^-$CD8$^-$ T cell receptor αβ T cells: generation of an in vitro major histocompatibility complex class I specific cytotoxic T lymphocyte response and allogeneic tumor rejection. 193.
Miller, A., Lider, O., and Weiner, H.L. Antigen-driven bystander suppression after oral administration of antigens. 791.
Miller, E.A. *See* Post, Liszewski, Adams, Tedja, Miller, and Atkinson.
Miller, H.R.P. *See* Tsai, Shih, Newlands, Takeishi, Langley, Zsebo, Miller, Geissler, and Galli.
Miller, L.C. *See* Vannier, Miller, and Dinarello.
Milligan, G.N., Flaherty, L., Braciale, V.L., and Braciale, T.J. Nonconventional (TL-encoded) major histocompatibility complex molecules present processed viral antigen to cytotoxic T lymphocytes. 133.
Milon, G. *See* Keshav, Chung, Milon, and Gordon.
Mingari, M.C., Poggi, A., Biassoni, R., Bellomo, R., Ciccone, E., Pella, N., Morelli, L., Verdiani, S., Moretta, A., and Moretta, L. In vitro proliferation and cloning of CD3$^-$CD16$^+$ cells from human thymocyte precursors. 21.
Minkoff, M.S., Wong, W.W., and Silberstein, D.S. Identification of C3 β chain as the human serum eosinophil cytotoxicity inhibitor. 1267.
Missale, G. *See* Penna, Chisari, Bertoletti, Missale, Fowler, Giuberti, Fiaccadori, and Ferrari.
Miyake, M., Koyama, M., Seno, M., and Ikeyama, S. Identification of the motility-related protein (MRP-1), recognized by monoclonal antibody M31-15, which inhibits cell motility. 1347.
Mizutani, H., Schechter, N., Lazarus, G., Black, R.A., and Kupper, T.S. Rapid and specific conversion of precursor interleukin 1β (IL-1β) to an active IL-1 species by human mast cell chymase. 821.
Modlin, R.L. *See* Uyemura, Deans, Band, Ohmen, Panchamoorthy, Morita, Rea, and Modlin.
Momburg, F. *See* Adorini, Moreno, Momburg, Hämmerling, Guéry, Valli, and Fuchs.
Monji, T. *See* Mellins, Kempin, Smith, Monji, and Pious.
Moore, J.P. *See* Sattentau and Moore.
Moore, K.A. *See* Fletcher, Moore, Ashkenazi, De Vries, Overbeek, Williams, and Belmont.
Moqbel, R., Hamid, Q., Ying, S., Barkans, J., Hartnell, A., Tsicopoulos, A., Wardlaw, A.J., and Kay, A.B. Expression of mRNA and immunoreactivity for the granulocyte/macrophage colony-stimulating factor in activated human eosinophils. 749.
Morelli, L. *See* Mingari, Poggi, Biassoni, Bellomo, Ciccone, Pella, Morelli, Verdiani, Moretta, and Moretta.
Moreno, J. *See* Adorini, Moreno, Momburg, Hämmerling, Guéry, Valli, and Fuchs.
Moretta, A., Poggi, A., Pende, D., Tripodi, G., Orengo, A.M., Pella, N., Augugliaro, R., Bottino, C., Ciccone, E., and Moretta, L. CD69-mediated pathway of lymphocyte activation: anti-CD69 monoclonal antibodies trigger the cytolytic activity of different lymphoid effector cells with the exception of cytolytic T lymphocytes expressing T cell receptor α/β. 1393.
— *See* Mingari, Poggi, Biassoni, Bellomo, Ciccone, Pella, Morelli, Verdiani, Moretta, and Moretta.
Moretta, L. *See* Mingari, Poggi, Biassoni, Bellomo, Ciccone, Pella, Morelli, Verdiani, Moretta, and Moretta.
— *See* Moretta, Poggi, Pende, Tripodi, Orengo, Pella, Augugliaro, Bottino, Ciccone, and Moretta.

Morita, C.T. *See* Uyemura, Deans, Band, Ohmen, Panchamoorthy, Morita, Rea, and Modlin.
Morris, P.J. *See* Dallman, Larsen, and Morris.
Mulé, J.J. *See* Jicha, Mulé, and Rosenberg.
Müller-Sieburg, C.E. Separation of pluripotent stem cells and early B lymphocyte precursors with antibody Fall-3. 161.
Musser, J.M. *See* Nelson, Schlievert, Selander, and Musser.

N

Nadler, L.M. *See* Freeman, Gray, Gimmi, Lombard, Zhou, White, Fingeroth, Gribben, and Nadler.
Nagai, Y. *See* Horikawa, Nakakuma, Nagakura, Kawakita, Kagimoto, Iwamori, Nagai, Abe, and Takatsuki.
Nagakura, S. *See* Horikawa, Nakakuma, Nagakura, Kawakita, Kagimoto, Iwamori, Nagai, Abe, and Takatsuki.
Nagy, J.A. *See* Dvorak, Sioussat, Brown, Berse, Nagy, Sotrel, Manseau, Van De Water, and Senger.
Nakai, C. *See* Parikh, Nakai, Yokota, Bankert, and Tucker.
Nakakuma, H. *See* Horikawa, Nakakuma, Nagakura, Kawakita, Kagimoto, Iwamori, Nagai, Abe, and Takatsuki.
Nakauchi, H. *See* Ogawa, Matsuzaki, Nishikawa, Hayashi, Kunisada, Sudo, Kina, Nakauchi, and Nishikawa.
Nakayama, E. *See* Mieno, Suto, Obata, Udono, Takahashi, Shiku, and Nakayama.
Nannmark, U. *See* Basse, Herberman, Nannmark, Johansson, Hokland, Wasserman, and Goldfarb.
Nathan, C. *See* Bogdan, Vodovotz, and Nathan.
Nathan, C.F. *See* Kwon, Stuehr, and Nathan.
Negrin, R.S. *See* Schmidt-Wolf, Negrin, Kiem, Blume, and Weissman.
Nelson, K., Schlievert, P.M., Selander, R.K., and Musser, J.M. Characterization and clonal distribution of four alleles of the *speA* gene encoding pyrogenic exotoxin A (scarlet fever toxin) in *Streptococcus pyogenes.* 1271.
Neurath, A.R. *See* Jiang, Lin, and Neurath.
Newlands, G.F.J. *See* Tsai, Shih, Newlands, Takeishi, Langley, Zsebo, Miller, Geissler, and Galli.
Newman, W. *See* van Seventer, Newman, Shimizu, Nutman, Tanaka, Horgan, Gopal, Ennis, O'Sullivan, Grey, and Shaw.
Nishikawa, S. *See* Ogawa, Matsuzaki, Nishikawa, Hayashi, Kunisada, Sudo, Kina, Nakauchi, and Nishikawa.
Nishikawa, S.-I. *See* Ogawa, Matsuzaki, Nishikawa, Hayashi, Kunisada, Sudo, Kina, Nakauchi, and Nishikawa.
Norda, M. *See* Schild, Norda, Deres, Falk, Rötzschke, Weismüller, Jung, and Rammensee.
North, R.J. *See* Conlan and North.
Nutman, T.B. *See* van Seventer, Newman, Shimizu, Nutman, Tanaka, Horgan, Gopal, Ennis, O'Sullivan, Grey, and Shaw.
Nygard, N.R., Bono, C., Brown, L.R., Gorka, J., Giacoletto, K.S., Schaiff, W.T., Graham, M.B., McCourt, D.W., Kabeer, M., Braciale, V.L., Braciale, T.J., and Schwartz, B.D. Antibody recognition of an immunogenic influenza hemagglutinin–human leukocyte antigen class II complex. 243.

O

Obata, Y., Taguchi, O., Matsudaira, Y., Hasegawa, H., Hamasima, N., and Takahashi, T. Abnormal thymic development, impaired immune function and γδ T cell lymphomas in a TL transgenic mouse strain. 351.
— *See* Mieno, Suto, Obata, Udono, Takahashi, Shiku, and Nakayama.
Ochi, A. *See* Kim, Siminovitch, and Ochi.
O'Connell, C. *See* Kenny, O'Connell, Sieckmann, Fischer, and Longo.
Offner, H. *See* Gold, Offner, Sun, Wiley, Vandenbark, and Wilson.
Ogawa, M., Matsuzaki, Y., Nishikawa, S., Hayashi, S.-I., Kunisada, T., Sudo, T., Kina, T., Nakauchi, H., and Nishikawa, S.-I. Expression and function of *c-kit* in hemopoietic progenitor cells. 63.
Öhlén, C. *See* Höglund, Glas, Öhlen, Ljunggren, and Kärre.
Ohmen, J. *See* Uyemura, Deans, Band, Ohmen, Panchamoorthy, Morita, Rea, and Modlin.
Ohnishi, T. *See* Kita, Ohnishi, Okubo, Weiler, Abrams, and Gleich.
Ohteki, T. *See* Abo, Ohteki, Seki, Koyamada, Yoshikai, Masuda, Rikiishi, and Kumagai.
Okubo, Y. *See* Kita, Ohnishi, Okubo, Weiler, Abrams, and Gleich.
Oldstone, M.B.A. *See* Borrow, Tishon, and Oldstone.
Olson, C.A. *See* Teitell, Mescher, Olson, Littman, and Kronenberg.
Ooi, C.E., Weiss, J., Doerfler, M.E., and Elsbach, P. Endotoxin-neutralizing properties of the 25 kD N-terminal fragment and a newly isolated 30 kD C-terminal fragment of the 55–60 kD bactericidal/permeability-increasing protein of human neutrophils. 649.
Orengo, A.M. *See* Moretta, Poggi, Pende, Tripodi, Orengo, Pella, Augugliaro, Bottino, Ciccone, and Moretta.
Ortaldo, J.R. *See* Frey, Bino, Kantor, Segal, Giardina, Roder, Anderson, and Ortaldo.
Ortega-Barria, E. *See* Pereira, Mejia, Ortega-Barria, Matzilevich, and Prioli.
O'Shaughnessy, C.T. *See* Relton, Strijbos, O'Shaughnessy, Carey, Forder, Tilders, and Rothwell.
O'Sullivan, D. *See* van Seventer, Newman, Shimizu, Nutman, Tanaka, Horgan, Gopal, Ennis, O'Sullivan, Grey, and Shaw.
O'Toole, T. *See* Hatzfeld, Li, Brown, Sookdeo, Levesque, O'Toole, Gurney, Clark, and Hatzfeld.
Ottenhoff, T.H.M. *See* Haanen, de Waal Malefijt, Res, Kraakman, Ottenhoff, de Vries, and Spits.
Overbeek, P.A. *See* Fletcher, Moore, Ashkenazi, De Vries, Overbeek, Williams, and Belmont.

P

Page, K.R. *See* Champion, Page, Parish, Rayner, Dawe, Biswas-Hughes, Cooke, Geysen, and Roitt.
Palade, G.E. *See* Quagliarello, Ma, Stukenbrok, and Palade.
Palmer, E. *See* Woodland, Lund, Happ, Blackman, Palmer, and Corley.
Panchamoorthy, G. *See* Uyemura, Deans, Band, Ohmen, Panchamoorthy, Morita, Rea, and Modlin.
Parham, P. *See* Lawlor, Warren, Taylor, and Parham.
— *See* Madrigal, Belich, Benjamin, Little, Hildebrand, Mann, and Parham.
Parikh, V.S., Nakai, C., Yokota, S.J., Bankert, R.B., and Tucker, P.W. COOH terminus of membrane IgM is essential for an antigen-specific induction of some but not all early activation events in mature B cells. 1103.
Parish, N. *See* Champion, Page, Parish, Rayner, Dawe, Biswas-Hughes, Cooke, Geysen, and Roitt.
Parker, D.C. *See* Takagi, Daibata, Last, Humphreys, Parker, and Sairenji.
Parr, E.L. *See* Zheng, Joag, Parr, Parr, and Young.
Parr, M.B. *See* Zheng, Joag, Parr, Parr, and Young.
Passmore, H. *See* Soloway, Fish, Passmore, Gefter, Coffee, and Manser.
Péault, B., Weissman, I.L., Baum, C., McCune, J.M., and Tsukamoto, A. Lymphoid reconstruction of the human fetal thymus in SCID mice with $CD34^+$ precursor cells. 1283.
Pella, N. *See* Mingari, Poggi, Biassoni, Bellomo, Ciccone, Pella, Morelli, Verdiani, Moretta, and Moretta.
— *See* Moretta, Poggi, Pende, Tripodi, Orengo, Pella, Augugliaro, Bottino, Ciccone, and Moretta.
Peltz, G. *See* Yssel, Shanafelt, Soderberg, Schneider, Anzola, and Peltz.
Pende, D. *See* Moretta, Poggi, Pende, Tripodi, Orengo, Pella, Augugliaro, Bottino, Ciccone, and Moretta.
Penna, A., Chisari, F.V., Bertoletti, A., Missale, G., Fowler, P., Giuberti, T., Fiaccadori, F., and Ferrari, C. Cytotoxic T lymphocytes recognize an HLA-A2-restricted epitope within the hepatitis B virus nucleocapsid antigen. 1565.
Peppel, K., Crawford, D., and Beutler, B. A tumor necrosis factor (TNF) receptor-IgG heavy chain chimeric protein as a bivalent antagonist of TNF activity. 1483.
Pereira, M.E.A., Mejia, J.S., Ortega-Barria, E., Matzilevich, D., and Prioli, R.P. The *Trypanosoma cruzi* neuraminidase contains sequences similar to bacterial neuraminidases, YWTD repeats of the low density lipoprotein receptor, and type III modules of fibronectin. 179.

Pérez-Aciego, P., Alarcón, B., Arnaiz-Villena, A., Terhorst, C., Timón, M., Segurado, O.G., and Regueiro, J.R. Expression and function of a variant T cell receptor complex lacking CD3-γ. 319.
Phillips, J.H., McKinney, L., Azuma, M., Spits, H., and Lanier, L.L. A novel β4,α6 integrin-associated epithelial cell antigen involved in natural killer cell and antigen-specific cytotoxic T lymphocyte cytotoxicity. 1571.
Picker, L.J. *See* Berg, Yoshino, Rott, Robinson, Warnock, Kishimoto, Picker, and Butcher.
Pikora, C.A. *See* Koup, Pikora, Luzuriaga, Brettler, Day, Mazzara, and Sullivan.
Pillinger, M. *See* Manheimer-Lory, Katz, Pillinger, Ghossein, Smith, and Diamond.
Pious, D. *See* Mellins, Kempin, Smith, Monji, and Pious.
Pisa, E.K., Pisa, P., Kang, H.-I., and Fox, R.I. High frequency of t(14;18) translocation in salivary gland lymphomas from Sjögren's syndrome patients. 1245.
Pisa, P. *See* Pisa, Pisa, Kang, and Fox.
Poggi, A. *See* Mingari, Poggi, Biassoni, Bellomo, Ciccone, Pella, Morelli, Verdiani, Moretta, and Moretta.
— *See* Moretta, Poggi, Pende, Tripodi, Orengo, Pella, Augugliaro, Bottino, Ciccone, and Moretta.
Posnett, D.N. *See* Friedman, Crow, Tumang, Tumang, Xu, Hodtsev, Cole, and Posnett.
— *See* Gulwani-Akolkar, Posnett, Janson, Grunewald, Wigzell, Akolkar, Gregersen, and Silver.
— *See* Li, Szabo, and Posnett.
Post, T.W., Liszewski, M.K., Adams, E.M., Tedja, I., Miller, E.A., and Atkinson, J.P. Membrane cofactor protein of the complement system: alternative splicing of serine/threonin/proline–rich exons and cytoplasmic tails produces multiple isoforms that correlate with protein phenotype. 93.
Postigo, A.A., Corbí, A.L., Sánchez-Madrid, F., and de Landázuri, M.O. Regulated expression and function of CD11c/CD18 integrin on human B lymphocytes. Relation between attachment to fibrinogen and triggering of proliferation through CD11c/CD18. 1313.
Prioli, R.P. *See* Pereira, Mejia, Ortega-Barria, Matzilevich, and Prioli.
Punt, J.A., Kubo, R.T., Saito, T., Finkel, T.H., Kathiresan, S., Blank, K.J., and Hashimoto, Y. Surface expression of a T cell receptor β (TCR-β) chain in the absence of TCR-α, -δ, and -γ proteins. 775.

Q

Quagliarello, V.J., Ma, A., Stukenbrok, H., and Palade, G.E. Ultrastructural localization of albumin transport across the cerebral microvasculature during experimental meningitis in the rat. 657.
Quakyi, I.A. *See* Barr, Green, Gibson, Bathurst, Quakyi, and Kaslow.

R

Rabinowitz, S.S., and Gordon, S. Macrosialin, a macrophage-restricted membrane sialoprotein differentially glycosylated in response to inflammatory stimuli. 827.
Radoff, S. *See* Skolnik, Yang, Makita, Radoff, Kirstein, and Vlassara.
Ramalho-Pinto, F.J. *See* Horta and Ramalho-Pinto.
Rammensee, H.-G. *See* Falk, Rötzschke, Deres, Metzger, Jung, and Rammensee.
— *See* Rötzschke, Falk, Faath, and Rammensee.
— *See* Schild, Norda, Deres, Falk, Rötzschke, Weismüller, Jung, and Rammensee.
Rayner, D.C. *See* Champion, Page, Parish, Rayner, Dawe, Biswas-Hughes, Cooke, Geysen, and Roitt.
Rea, T.H. *See* Uyemura, Deans, Band, Ohmen, Panchamoorthy, Morita, Rea, and Modlin.
Reay, P.A. *See* Wettstein, Boniface, Reay, Schild, and Davis.
Reed, S.G. *See* Silva, Twardzik, and Reed.
Regueiro, J.R. *See* Pérez-Aciego, Alarcón, Arnaiz-Villena, Terhorst, Timón, Segurado, and Regueiro.
Reinherz, E.L. *See* Diamond, Szalay, Symer, Hao, Shin, Dintzis, Dintzis, Reinherz, and Siliciano.
Relton, J.K., Strijbos, P.J.L.M., O'Shaughnessy, C.T., Carey, F., Forder, R.A., Tilders, F.J.H., and Rothwell, N.J. Lipocortin-1 is an endogenous inhibitor of ischemic damage in the rat brain. 305.
Res, P.C.M. *See* Haanen, de Waal Malefijt, Res, Kraakman, Ottenhoff, de Vries, and Spits.
Ricci, M. *See* Del Prete, De Carli, Ricci, and Romagnani.
Rich, R.R. *See* Shawar, Vyas, Rodgers, Cook, and Rich.
Rikiishi, H. *See* Abo, Ohteki, Seki, Koyamada, Yoshikai, Masuda, Rikiishi, and Kumagai.
Robinson, M.K. *See* Berg, Yoshino, Rott, Robinson, Warnock, Kishimoto, Picker, and Butcher.
Rocha, B. *See* von Boehmer, Kirberg, and Rocha.
Roder, J. *See* Frey, Bino, Kantor, Segal, Giardina, Roder, Anderson, and Ortaldo.
Rodgers, J.R. *See* Shawar, Vyas, Rodgers, Cook, and Rich.
Rodrigues, M. *See* Smith, Rodrigues, and Russell.
Roitt, I.M. *See* Champion, Page, Parish, Rayner, Dawe, Biswas-Hughes, Cooke, Geysen, and Roitt.
Romagnani, S. *See* Del Prete, De Carli, Ricci, and Romagnani.
Romagnoli, P. *See* van Meerwijk, Romagnoli, Iglesias, Bluethmann, and Steinmetz.
Romero, P., Corradin, G., Luescher, I.F., and Maryanski, J.L. H-2K^d-restricted antigenic peptides share a simple binding motif. 603.
— *See* Casanova, Romero, Widmann, Kourilsky, and Maryanski.
— *See* Healy, Drouet, Romero, Jaulin, and Maryanski.
Ron, Y. *See* Sprent, Schaefer, Hurd, Surh, and Ron.
Roncarolo, M.-G. *See* de Waal Malefyt, Haanen, Spits, Roncarolo, te Velde, Figdor, Johnson, Kastelein, Yssel, and de Vries.
Rosenberg, S.A. *See* Jicha, Mulé, and Rosenberg.
Rossi, G.B. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.
Rothwell, N.J. *See* Relton, Strijbos, O'Shaughnessy, Carey, Forder, Tilders, and Rothwell.
Rotstein, O.D. *See* Swallow, Grinstein, Sudsbury, and Rotstein.
Rott, L.S. *See* Berg, Yoshino, Rott, Robinson, Warnock, Kishimoto, Picker, and Butcher.
Rötzschke, O., Falk, K., Faath, S., and Rammensee, H.-G. On the nature of peptides involved in T cell alloreactivity. 1059.
— *See* Falk, Rötzschke, Deres, Metzger, Jung, and Rammensee.
— *See* Schild, Norda, Deres, Falk, Rötzschke, Weismüller, Jung, and Rammensee.
Ruberti, G., Gaur, A., Fathman, C.G., and Livingstone, A.M. The T cell receptor repertoire influences Vβ element usage in response to myoglobin. 83.
Russell, D.G. *See* Smith, Rodrigues, and Russell.

S

Sairenji, T. *See* Takagi, Daibata, Last, Humphreys, Parker, and Sairenji.
Saito, T. *See* Punt, Kubo, Saito, Finkel, Kathiresan, Blank, and Hashimoto.
Sánchez-Madrid, F. *See* Postigo, Corbí, Sánchez-Madrid, and de Landázuri.
Sanders, S.K., Fox, R.O., and Kavathas, P. Mutations in CD8 that affect interactions with HLA class I and monoclonal anti-CD8 antibodies. 371.
—, **Giblin, P.A., and Kavathas, P.** Cell-cell adhesion mediated by CD8 and human histocompatibility leukocyte antigen G, a nonclassical major histocompatibility complex class 1 molecule on cytotrophoblasts. 737.
Sant, A.J., Hendrix, L.R., Coligan, J.E., Maloy, W.L., and Germain, R.N. Defective intracellular transport as a common mechanism limiting expression of inappropriately paired class II major histocompatibility complex α/β chains. 799.
Sato, S. *See* Kitagawa, Iwata, Sato, Shimizu, Hamaoka, and Fujiwara.
Sattentau, Q.J., and Moore, J.P. Conformational changes induced in the human immunodeficiency virus envelope glycoprotein by soluble CD4 binding. 407.

Schaefer, M. *See* Sprent, Schaefer, Hurd, Surh, and Ron.
Schaiff, W.T. *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.
Scharff, M.D. *See* Casadevall and Scharff.
Schechter, N. *See* Mizutani, Schechter, Lazarus, Black, and Kupper.
Schild, H., Norda, M., Deres, K., Falk, K., Rötzschke, O., Wiesmüller, K.-H., Jung, G., and Rammensee, H.-G. Fine specificity of cytotoxic T lymphocytes primed in vivo either with virus or synthetic lipopeptide vaccine or primed in vitro with peptide. 1665.
— *See* Wettstein, Boniface, Reay, Schild, and Davis.
Schirrmacher, V. *See* Gückel, Berek, Lutz, Altevogt, Schirrmacher, and Kyewski.
Schlesinger, L.S., and Horwitz, M.A. Phenolic glycolipid-1 of *Mycobacterium leprae* binds complement component C3 in serum and mediates phagocytosis by human monocytes. 1031.
Schlievert, P.M. *See* Nelson, Schlievert, Selander, and Musser.
Schmidt-Wolf, I.G.H., Negrin, R.S., Kiem, H.-P., Blume, K.G., and Weissman, I.L. Use of a SCID mouse/human lymphoma model to evaluate cytokine-induced killer cells with potent antitumor cell activity. 139.
Schneider, H., Griffiss, J.M., Boslego, J.W., Hitchcock, P.J., Zahos, K.M., and Apicella, M.A. Expression of paragloboside-like lipooligosaccharides may be a necessary component of gonococcal pathogenesis in men. 1601.
Schneider, P.V. *See* Yssel, Shanafelt, Soderberg, Schneider, Anzola, and Peltz.
Schoolnik, G.K. *See* Vuopio-Varkila and Schoolnik.
Schütze, S., Berkovic, D., Tomsing, O., Unger, C., and Krönke, M. Tumor necrosis factor induces rapid production of 1'2'diacylglycerol by a phosphatidylcholine-specific phospholipase C. 975.
Schwarting, R. *See* de Fougerolles, Stacker, Schwarting, and Springer.
Schwartz, B.D. *See* Nygard, Bono, Brown, Gorka, Giacoletto, Schaiff, Graham, McCourt, Kabeer, Braciale, Braciale, and Schwartz.
Schwarz, K., Hansen-Hagge, T.E., Knobloch, C., Friedrich, W., Kleihauer, E., and Bartram, C.R. Severe combined immune deficiency (SCID) in man: B cell–negative (B^-) SCID patients exhibit an irregular recombination pattern at the J_H locus. 1039.
Scollay, R. *See* Wu, Antica, Johnson, Scollay, and Shortman.
Seed, B. *See* Aruffo, Melnick, Linsley, and Seed.
Segal, D.M. *See* Frey, Bino, Kantor, Segal, Giardina, Roder, Anderson, and Ortaldo.
Segurado, O.G. *See* Pérez-Aciego, Alarcón, Arnaiz-Villena, Terhorst, Timón, Segurado, and Regueiro.
Sehajpal, P. *See* Yang, Makita, Horii, Brunelle, Cerami, Sehajpal, Suthanthiran, and Vlassara.
Sehajpal, P.K. *See* Li, Sehajpal, Khanna, Vlassara, Cerami, Stenzel, and Suthanthiran.
Seki, S. *See* Abo, Ohteki, Seki, Koyamada, Yoshikai, Masuda, Rikiishi, and Kumagai.
Selander, R.K. *See* Nelson, Schlievert, Selander, and Musser.
Senger, D.R. *See* Dvorak, Sioussat, Brown, Berse, Nagy, Sotrel, Manseau, Van De Water, and Senger.
Seno, M. *See* Miyake, Koyama, Seno, and Ikeyama.
Shanafelt, M.-C. *See* Yssel, Shanafelt, Soderberg, Schneider, Anzola, and Peltz.
Shaw, S. *See* van Seventer, Newman, Shimizu, Nutman, Tanaka, Horgan, Gopal, Ennis, O'Sullivan, Grey, and Shaw.
Shawar, S.M., Vyas, J.M., Rodgers, J.R., Cook, R.G., and Rich, R.R. Specialized functions of major histocompatibility complex class I molecules. II. Hmt binds N-formylated peptides of mitochondrial and prokaryotic origin. 941.
Shen, F.-W. *See* Broxmeyer, Lu, Hangoc, Cooper, Hendrie, Ledbetter, Xiao, Williams, and Shen.
Shih, L.-S. *See* Tsai, Shih, Newlands, Takeishi, Langley, Zsebo, Miller, Geissler, and Galli.
Shiku, H. *See* Mieno, Suto, Obata, Udono, Takahashi, Shiku, and Nakayama.
Shimizu, J. *See* Kitagawa, Iwata, Sato, Shimizu, Hamaoka, and Fujiwara.
Shimizu, Y. *See* van Seventer, Newman, Shimizu, Nutman, Tanaka, Horgan, Gopal, Ennis, O'Sullivan, Grey, and Shaw.
Shin, H.S. *See* Diamond, Szalay, Symer, Hao, Shin, Dintzis, Dintzis, Reinherz, and Siliciano.
Shizuru, J.A., Taylor-Edwards, C., Livingstone, A., and Fathman, C.G. Genetic dissection of T cell receptor Vβ gene requirements for spontaneous murine diabetes. 633.
Shokri, F. *See* Mageed, MacKenzie, Stevenson, Yuksel, Shokri, Maziak, Jefferis, and Lydyard.
Shortman, K. *See* Wu, Antica, Johnson, Scollay, and Shortman.
Siccardi, A.G. *See* Grassi, Meneveri, Gullberg, Lopalco, Rossi, Lanza, De Santis, Brattsand, Buttò, Ginelli, Beretta, and Siccardi.
Sieckmann, D.G. *See* Kenny, O'Connell, Sieckmann, Fischer, and Longo.
Silberstein, D.S. *See* Minkoff, Wong, and Silberstein.
Silberstein, L.E. *See* Friedman, Cho, Goldman, Carmack, Besa, Hardy, and Silberstein.
Siliciano, R.F. *See* Diamond, Szalay, Symer, Hao, Shin, Dintzis, Dintzis, Reinherz, and Siliciano.
Silva, J.S., Twardzik, D.R., and Reed, S.G. Regulation of *Trypanosoma cruzi* infections in vitro and in vivo by transforming growth factor β (TGF-β). 539.
Silver, J. *See* Gulwani-Akolkar, Posnett, Janson, Grunewald, Wigzell, Akolkar, Gregersen, and Silver.
Siminovitch, K.A. *See* Kim, Siminovitch, and Ochi.
Singer, K.H. *See* Le, Lazorick, Whichard, Haynes, and Singer.
Sioussat, T.M. *See* Dvorak, Sioussat, Brown, Berse, Nagy, Sotrel, Manseau, Van De Water, and Senger.
Six, A., Jouvin-Marche, E., Loh, D.Y., Cazenave, P.-A., and Marche, P.N. Identification of a T cell receptor β chain variable region, Vβ20, that is differentially expressed in various strains of mice. 1263.
Sklar, J. *See* Tycko, Smith, and Sklar.
Skolnik, E.Y., Yang, Z., Makita, Z., Radoff, S., Kirstein, M., Vlassara, H. Human and rat mesangial cell receptors for glucose-modified proteins: potential role in kidney tissue remodelling and diabetic nephropathy. 931.
Smith, A. *See* Manheimer-Lory, Katz, Pillinger, Ghossein, Smith, and Diamond.
Smith, L. *See* Mellins, Kempin, Smith, Monji, and Pious.
Smith, L.E., Rodrigues, M., and Russell, D.G. The interaction between $CD8^+$ cytotoxic T cells and *Leishmania*-infected macrophages. 499.
Smith, S.D. *See* Tycko, Smith, and Sklar.
Snapper, C. *See* Finkelman, Svetic, Gresser, Snapper, Holmes, Trotta, Katona, and Gause.
Soderberg, C. *See* Yssel, Shanafelt, Soderberg, Schneider, Anzola, and Peltz.
Soloway, P., Fish, S., Passmore, H., Gefter, M., Coffee, R., and Manser, T. Regulation of the immune response to peptide antigens: differential induction of immediate-type hypersensitivity and T cell proliferation due to changes in either peptide structure or major histocompatibility complex haplotype. 847.
Sookdeo, H. *See* Hatzfeld, Li, Brown, Sookdeo, Levesque, O'Toole, Gurney, Clark, and Hatzfeld.
Sotrel, A. *See* Dvorak, Sioussat, Brown, Berse, Nagy, Sotrel, Manseau, Van De Water, and Senger.
Spinella, D.G. *See* Tomai, Aelion, Dockter, Majumdar, Spinella, and Kotb.
Spits, H. *See* de Waal Malefyt, Haanen, Spits, Roncarolo, te Velde, Figdor, Johnson, Kastelein, Yssel, and de Vries.
— *See* Haanen, de Waal Malefijt, Res, Kraakman, Ottenhoff, de Vries, and Spits.
— *See* Phillips, McKinney, Azuma, Spits, and Lanier.
Sprent, J., Schaefer, M., Hurd, M., Surh, C.D., and Ron, Y. Mature murine B and T cells transferred to SCID mice can survive indefinitely and many maintain a virgin phenotype. 717.
— *See* Gao, Kosaka, Surh, and Sprent.
Springer, T.A. *See* de Fougerolles, Stacker, Schwarting, and Springer.
— *See* Hibbs, Jakes, Stacker, Wallace, and Springer.
Spruyt, L.L., Glennie, M.J., Beyers, A.D., and Williams, A.F. Signal transduction by the CD2 antigen in T cells and natural killer cells: requirement for expression of a functional T cell receptor or binding of antibody Fc to the Fc receptor, FcγRIIIA (CD16). 1407.
Spry, C.J. *See* Freedman, Gibson, Fleming, Spry, and Griffin.
Stacker, S.A. *See* de Fougerolles, Stacker, Schwarting, and Springer.
— *See* Hibbs, Jakes, Stacker, Wallace, and Springer.
Stamenkovic, I. *See* Sy, Guo, and Stamenkovic.

Stark, S.E., and Caton, A.J. Antibodies that are specific for a single amino acid interchange in a protein epitope use stucturally distinct variable regions. 613.
Stein, K.E. *See* Feng and Stein.
Steinmetz, M. *See* van Meerwijk, Romagnoli, Iglesias, Bluethmann, and Steinmetz.
Stenzel, K.H. *See* Li, Sehajpal, Khanna, Vlassara, Cerami, Stenzel, and Suthanthiran.
Stevenson, F.K. *See* Mageed, MacKenzie, Stevenson, Yuksel, Shokri, Maziak, Jefferis, and Lydyard.
Strieter, R.M. *See* Walz, Burgener, Car, Baggiolini, Kunkel, and Strieter.
Strijbos, P.J.L.M. *See* Relton, Strijbos, O'Shaughnessy, Carey, Forder, Tilders, and Rothwell.
Strominger, J.L. *See* Goldfeld, Strominger, and Doyle.
Stuehr, D.J. *See* Kwon, Stuehr, and Nathan.
Stukenbrok, H. *See* Quagliarello, Ma, Stukenbrok, and Palade.
Sudo, T. *See* Ogawa, Matsuzaki, Nishikawa, Hayashi, Kunisada, Sudo, Kina, Nakauchi,and Nishikawa.
Sudsbury, R.A. *See* Swallow, Grinstein, Sudsbury, and Rotstein.
Sullivan, J.L. *See* Koup, Pikora, Luzuriaga, Brettler, Day, Mazzara, and Sullivan.
Sun, D. *See* Gold, Offner, Sun, Wiley, Vandenbark, and Wilson.
Sunshine, G.H., Jimmo, B.L., Ianelli, C., and Jarvis, L. Strong priming of T cells adoptively transferred into *scid* mice. 1653.
Surh, C.D. *See* Gao, Kosaka, Surh, and Sprent.
— *See* Sprent, Schaefer, Hurd, Surh, and Ron.
Suthanthiran, M. *See* Li, Sehajpal, Khanna, Vlassara, Cerami, Stenzel, and Suthanthiran.
— *See* Yang, Makita, Horii, Brunelle, Cerami, Sehajpal, Suthanthiran, and Vlassara.
Suto, R. *See* Mieno, Suto, Obata, Udono, Takahashi, Shiku, and Nakayama.
Suzuki, H. *See* Matsuda, Kannan, Ushio, Kiso, Kanemoto, Suzuki, and Kitamura.
Svetic, A. *See* Finkelman, Svetic, Gresser, Snapper, Holmes, Trotta, Katona, and Gause.
Swain, S.L. *See* Bradley, Duncan, Tonkonogy, and Swain.
Swallow, C.J., Grinstein, S., Sudsbury, R.A., and Rotstein, O.D. Nitric oxide derived from L-arginine impairs cytoplasmic pH regulation by vacuolar-type H^+ ATPases in peritoneal macrophages. 1009.
Sy, M.S., Guo, Y.-J., and Stamenkovic, I. Distinct effects of two CD44 isoforms on tumor growth in vivo. 859.
Symer, D. *See* Diamond, Szalay, Symer, Hao, Shin, Dintzis, Dintzis, Reinherz, and Siliciano.
Symons, J.A., Eastgate, J.A., and Duff, G.W. Purification and characterization of a novel soluble receptor for interleukin 1. 1251.
Sypek, J.P., and Wyler, D.J. Antileishmanial defense in macrophages triggered by tumor necrosis factor expressed on $CD4^+$ T lymphocyte plasma membrane. 755.
Szabo, P. *See* Li, Szabo, and Posnett.
Szalay, P. *See* Diamond, Szalay, Symer, Hao, Shin, Dintzis, Dintzis, Reinherz, and Siliciano.

T

Taguchi, O. *See* Obata, Taguchi, Matsudaira, Hasegawa, Hamasima, and Takahashi.
Takagi, S., Daibata, M., Last, T.J., Humphreys, R.E., Parker, D.C., and Sairenji, T. Intracellular localization of tyrosine kinase substrates beneath crosslinked surface immunoglobulins in B cells. 381.
Takahashi, T. *See* Mieno, Suto, Obata, Udono, Takahashi, Shiku, and Nakayama.
— *See* Obata, Taguchi, Matsudaira, Hasegawa, Hamasima, and Takahashi.
Takatsuki, K. *See* Horikawa, Nakakuma, Nagakura, Kawakita, Kagimoto, Iwamori, Nagai, Abe, and Takatsuki.
Takeishi, T. *See* Tsai, Shih, Newlands, Takeishi, Langley, Zsebo, Miller, Geissler, and Galli.
Tan, E.M. *See* Chan, Imai, Hamel, and Tan.
Tanaka, Y. *See* van Seventer, Newman, Shimizu, Nutman, Tanaka, Horgan, Gopal, Ennis, O'Sullivan, Grey, and Shaw.
Taylor, D.W. *See* Braun, McKechnie, Connor, Gilbert, Engelbrecht, Whitworth, and Taylor.
Taylor, P. *See* Lawlor, Warren, Taylor, and Parham.
Taylor-Edwards, C. *See* Shizuru, Taylor-Edwards, Livingstone, and Fathman.
Tedja, I. *See* Post, Liszewski, Adams, Tedja, Miller, and Atkinson.
Teitell, M., Mescher, M.F., Olson, C.A., Littman, D.R., and Kronenberg, M. The thymus leukemia antigen binds human and mouse CD8. 1131.
ten Cate, J.W. *See* van der Poll, Levi, Büller, van Deventer, de Boer, Hack, and ten Cate.
Terhorst, C. *See* Pérez-Aciego, Alarcón, Arnaiz-Villena, Terhorst, Timón, Segurado, and Regueiro.
te Velde, A. *See* de Waal Malefyt, Haanen, Spits, Roncarolo, te Velde, Figdor, Johnson, Kastelein, Yssel, and de Vries.
Thielens, N.M. *See* Ebenbichler, Thielens, Vornhagen, Marschang, Arlaud, and Dierich.
Tilders, F.J.H. *See* Relton, Strijbos, O'Shaughnessy, Carey, Forder, Tilders, and Rothwell.
Timón, M. *See* Pérez-Aciego, Alarcón, Arnaiz-Villena, Terhorst, Timón, Segurado, and Regueiro.
Tishon, A. *See* Borrow, Tishon, and Oldstone.
Tomai, M.A., Aelion, J.A., Dockter, M.E., Majumdar, G., Spinella, D.G., and Kotb, M. T cell receptor V gene usage by human T cells stimulated with the superantigen streptococcal M protein. 285.
Tomsing, O. *See* Schütze, Berkovic, Tomsing, Unger, and Krönke.
Tonegawa, S. *See* Wu, Van Kaer, Itohara, and Tonegawa.
Tonkonogy, S. *See* Bradley, Duncan, Tonkonogy, and Swain.
Trepp, D.J. *See* Brightman, Li, Trepp, and Fan.
Tripodi, G. *See* Moretta, Poggi, Pende, Tripodi, Orengo, Pella, Augugliaro, Bottino, Ciccone, and Moretta.
Trotta, P.P. *See* Finkelman, Svetic, Gresser, Snapper, Holmes, Trotta, Katona, and Gause.
Tsai, M., Shih, L.-S., Newlands, F.J., Takeishi, T., Langley, K.E., Zsebo, K.M., Miller, H.R.P., Geissler, E.N., and Galli, S.J. The rat c-*kit* ligand, stem cell factor, induces the development of connective tissue–type and mucosal mast cells in vivo. Analysis by anatomical distribution, histochemistry, and protease phenotype. 125.
Tsicopoulos, A. *See* Moqbel, Hamid, Ying, Barkans, Hartnell, Tsicopoulos, Wardlaw, and Kay.
Tsukamoto, A. *See* Péault, Weissman, Baum, McCune, and Tsukamoto.
Tucker, P.W. *See* Kienker, Kuziel, and Tucker.
Tucker, P.W. *See* Parikh, Nakai, Yokota, Bankert, and Tucker.
Tumang, J.R. *See* Friedman, Crow, Tumang, Tumang, Xu, Hodtsev, Cole, and Posnett.
Tumang, M. *See* Friedman, Crow, Tumang, Tumang, Xu, Hodtsev, Cole, and Posnett.
Twardzik, D.R. *See* Silva, Twardzik, and Reed.
Tycko, B., Smith, S.D., and Sklar, J. Chromosomal translocations joining LCK and TCRB loci in human T cell leukemia. 867.

U

Udono, H. *See* Mieno, Suto, Obata, Udono, Takahashi, Shiku, and Nakayama.
Unger, C. *See* Schütze, Berkovic, Tomsing, Unger, and Krönke.
Urnes, M. *See* Linsley, Brady, Urnes, Grosmaire, Damle, and Ledbetter.
Ushio, H. *See* Matsuda, Kannan, Ushio, Kiso, Kanemoto, Suzuki, and Kitamura.
Uyemura, K., Deans, R.J., Band, H., Ohmen, J., Panchamoorthy, G., Morita, C.T., Rea, T.H., and Modlin, R.L. Evidence for clonal selection of γ/δ T cells in response to a human pathogen. 683.

V

Vainio, O. *See* Houssaint, Mansikka, and Vainio.
Valli, A. *See* Adorini, Moreno, Momburg, Hämmerling, Guéry, Valli, and Fuchs.
Vandenbark, A.A. *See* Gold, Offner, Sun, Wiley, Vandenbark, and Wilson.

Van den Brink, M.R.M. *See* Ildstad, Wren, Boggs, Hronakes, Vecchini, and Van den Brink.
van der Harst, D. *See* Falkenburg, Goselink, van der Harst, van Luxemburg-Heijs, Kooy-Winkelaar, Faber, de Kroon, Brand, Fibbe, Willemze, and Goulmy.
van der Poll, T., Levi, M., Büller, H.R., van Deventer, S.J.H., de Boer, J.P., Hack, C.E., and ten Cate, J.W. Fibrinolytic response to tumor necrosis factor in healthy subjects. 729.
van Deventer, S.J.H. *See* van der Poll, Levi, Büller, van Deventer, de Boer, Hack, and ten Cate.
Van De Water, L. *See* Dvorak, Sioussat, Brown, Berse, Nagy, Sotrel, Manseau, Van De Water, and Senger.
Van Kaer, L. *See* Wu, Van Kaer, Itohara, and Tonegawa.
van Luxemburg-Heijs, S.A.P. *See* Falkenburg, Goselink, van der Harst, van Luxemburg-Heijs, Kooy-Winkelaar, Faber, de Kroon, Brand, Fibbe, Willemze, and Goulmy.
van Meerwijk, J.P.M., Romagnoli, P., Iglesias, A., Bluethmann, H., and Steinmetz, M. Allelic exclusion at DNA rearrangement level is required to prevent coexpression of two distinct T cell receptor β genes. 815.
Vannier, E., Miller, L.C., and Dinarello, C.A. Histamine suppresses gene expression and synthesis of tumor necrosis factor α via histamine H_2 receptors. 281.
van Putten, J.P.M. *See* Weel, Hopman, and van Putten.
van Seventer, G.A., Newman, W., Shimizu, Y., Nutman, T.B., Tanaka, Y., Horgan, K.J., Gopal, T.V., Ennis, E., O'Sullivan, D., Grey, H., and Shaw, S. Analysis of T cell stimulation by superantigen plus major histocompatibility complex class II molecules or by CD3 monoclonal antibody: costimulation by purified adhesion ligands VCAM-1, ICAM-1, but not ELAM-1. 901.
Vecchini, F. *See* Ildstad, Wren, Boggs, Hronakes, Vecchini, and Van den Brink.
Verdiani, S. *See* Mingari, Poggi, Biassoni, Bellomo, Ciccone, Pella, Morelli, Verdiani, Moretta, and Moretta.
Verfaillie, C.M., McCarthy, J.B., and McGlave, P.B. Differentiation of primitive human multipotent hematopoietic progenitors into single lineage clonogenic progenitors is accompanied by alterations in their interaction with fibronectin. 693.
Vitetta, E.S. *See* Fernandez-Botran and Vitetta.
Vlassara, H. *See* Li, Sehajpal, Khanna, Vlassara, Cerami, Stenzel, and Suthanthiran.
— *See* Skolnik, Yang, Makita, Radoff, Kirstein, and Vlassara.
— *See* Yang, Makita, Horii, Brunelle, Cerami, Sehajpal, Suthanthiran, and Vlassara.
Vodovotz, Y. *See* Bogdan, Vodovotz, and Nathan.
von Boehmer, H., Kirberg, J., and Rocha, B. An unusual lineage of α/β T cells that contains autoreactive cells. 1001.
von Borstel, R., II. *See* Wilkinson, Doskow, von Borstel, Fong, and MacLeod.
Vornhagen, R. *See* Ebenbichler, Thielens, Vornhagen, Marschang, Arlaud, and Dierich.
Vuopio-Varkila, J., and Schoolnik, G.K. Localized adherence by enteropathogenic *Escherichia coli* is an inducible phenotype associated with the expression of new outer membrane proteins. 1167.
Vyas, J.M. *See* Shawar, Vyas, Rodgers, Cook, and Rich.

W

Wallace, R.W. *See* Hibbs, Jakes, Stacker, Wallace, and Springer.
Walter, M.A., Dosch, H.M., and Cox, D.W. A deletion map of the human immunoglobulin heavy chain variable region. 335.
Waltzinger, C. *See* Candéias, Waltzinger, Benoist, and Mathis.
Walz, A., Burgener, R., Car, B., Baggiolini, M., Kunkel, S.L., and Strieter, R.M. Structure and neutrophil-activating properties of a novel inflammatory peptide (ENA-78) with homology to interleukin 8. 1355.
Wardlaw, A.J. *See* Moqbel, Hamid, Ying, Barkans, Hartnell, Tsicopoulos, Wardlaw, and Kay.
Warnock, R.A. *See* Berg, Yoshino, Rott, Robinson, Warnock, Kishimoto, Picker, and Butcher.
Warren, E. *See* Lawlor, Warren, Taylor, and Parham.
Wasserman, K. *See* Basse, Herberman, Nannmark, Johansson, Hokland, Wasserman, and Goldfarb.
Weel, J.F.L., Hopman, C.T.P., and van Putten, J.P.M. Bacterial entry and intracellular processing of *Neisseria gonorrhoeae* in epithelial cells: immunomorphological evidence for alterations in the major outer membrane protein P.IB. 705.
Weiler, D. *See* Kita, Ohnishi, Okubo, Weiler, Abrams, and Gleich.
Weinberg, J.B., Matthews, T.J., Cullen, B.R., and Malim, M.H. Productive human immunodeficiency virus type 1 (HIV-1) infection of nonproliferating human monocytes. 1477.
Weiner, H.L. *See* Miller, Lider, and Weiner.
Weiss, J. *See* Ooi, Weiss, Doerfler, and Elsbach.
Weissbach, H. *See* Chu, Brot, Weissbach, and Elkon.
Weissman, I.L. *See* Ikuta and Weissman.
— *See* Péault, Weissman, Baum, McCune, and Tsukamoto.
— *See* Schmidt-Wolf, Negrin, Kiem, Blume, and Weissman.
Wettstein, D.A., Boniface, J.J., Reay, P.A., Schild, H., and Davis, M.M. Expression of a class II major histocompatibility complex (MHC) heterodimer in a lipid-linked form with enhanced peptide/soluble MHC complex formation at low pH. 219.
Whichard, L.P. *See* Le, Lazorick, Whichard, Haynes, and Singer.
White, M. *See* Freeman, Gray, Gimmi, Lombard, Zhou, White, Fingeroth, Gribben, and Nadler.
Whitworth, J.A. *See* Braun, McKechnie, Connor, Gilbert, Engelbrecht, Whitworth, and Taylor.
Widmann, C. *See* Casanova, Romero, Widmann, Kourilsky, and Maryanski.
Wiesmüller, K.-H. *See* Schild, Norda, Deres, Falk, Rötzschke, Weismüller, Jung, and Rammensee.
Wigzell, H. *See* Gulwani-Akolkar, Posnett, Janson, Grunewald, Wigzell, Akolkar, Gregersen, and Silver.
Wiley, S. *See* Gold, Offner, Sun, Wiley, Vandenbark, and Wilson.
Wilkinson, M.F., Doskow, J., von Borstel, II, R., Fong, A.M., and MacLeod, C.L. The expression of several T cell–specific and novel genes is repressed by *trans*-acting factors in immature T lymphoma clones. 269.
Willemze, R. *See* Falkenburg, Goselink, van der Harst, van Luxemburg-Heijs, Kooy-Winkelaar, Faber, de Kroon, Brand, Fibbe, Willemze, and Goulmy.
Williams, A.F. *See* Spruyt, Glennie, Beyers, and Williams.
Williams, D.E. *See* Broxmeyer, Lu, Hangoc, Cooper, Hendrie, Ledbetter, Xiao, Williams, and Shen.
— *See* Fletcher, Moore, Ashkenazi, De Vries, Overbeek, Williams, and Belmont.
Williamson, A. *See* Anderson, Cresswell, Gammon, Hermes, Williamson, and Zweerink.
Wilson, D. *See* Markholst, Eastman, Wilson, Andreasen, and Lernmark.
Wilson, D.B. *See* Gold, Offner, Sun, Wiley, Vandenbark, and Wilson.
Wong, W.W. *See* Minkoff, Wong, and Silberstein.
Woodland, D.L., Lund, F.E., Happ, M.P., Blackman, M.A., Palmer, E., and Corley, R.B. Endogenous superantigen expression is controlled by mouse mammary tumor proviral loci. 1255.
Wren, S.M. *See* Ildstad, Wren, Boggs, Hronakes, Vecchini, and Van den Brink.
Wu, L., Antica, M., Johnson, G.R., Scollay, R., and Shortman, K. Developmental potential of the earliest precursor cells from the adult mouse thymus. 1617.
Wu, M., Van Kaer, L., Itohara, S., and Tonegawa, S. Highly restricted expression of the thymus leukemia antigens on intestinal epithelial cells. 213.
Wyler, D.J. *See* Sypek and Wyler.

X

Xiao, M. *See* Broxmeyer, Lu, Hangoc, Cooper, Hendrie, Ledbetter, Xiao, Williams, and Shen.
Xu, Y. *See* Friedman, Crow, Tumang, Tumang, Xu, Hodtsev, Cole, and Posnett.

Y

Yang, Z., Makita, Z., Horii, Y., Brunelle, S., Cerami, A., Sehajpal, P., Suthanthiran, M., and Vlassara, H. Two novel rat liver membrane proteins that bind advanced glycosylation endproducts: relationship to macrophage receptor for glucose-modified proteins. 515.

— *See* Skolnik, Yang, Makita, Radoff, Kirstein, and Vlassara.

Yewdell, J.W. *See* Cox, Bennink, and Yewdell.

Ying, S. *See* Moqbel, Hamid, Ying, Barkans, Hartnell, Tsicopoulos, Wardlaw, and Kay.

Yokota, S.J. *See* Parikh, Nakai, Yokota, Bankert, and Tucker.

Yoshikai, Y. *See* Abo, Ohteki, Seki, Koyamada, Yoshikai, Masuda, Rikiishi, and Kumagai.

Yoshino, T. *See* Berg, Yoshino, Rott, Robinson, Warnock, Kishimoto, Picker, and Butcher.

Yother, J. *See* Benjamin, Yother, Hall, and Briles.

Young, J.D.-E. *See* Zheng, Joag, Parr, Parr, and Young.

Young, M.R. *See* Hart and Young.

Yssel, H., Shanafelt, M.-C., Soderberg, C., Schneider, P.V., Anzola, J., and Peltz, G. *Borrelia burgdorferi* activates a T helper type 1–like T cell subset in Lyme arthritis. 593.

— *See* de Waal Malefyt, Haanen, Spits, Roncarolo, te Velde, Figdor, Johnson, Kastelein, Yssel, and de Vries.

Yuksel, B. *See* Mageed, MacKenzie, Stevenson, Yuksel, Shokri, Maziak, Jefferis, and Lydyard.

Yuryev, A. *See* Martin, Yuryev, Kalli, Fearon, and Ahearn.

Z

Zahos, K.M. *See* Schneider, Griffiss, Boslego, Hitchcock, Zahos, and Apicella.

Zheng, L.M., Joag, S.V., Parr, M.B., Parr, E.L., and Young, J.D.-E. Perforin-expressing granulated metrial gland cells in murine deciduoma. 1221.

Zhou, L.-J. *See* Freeman, Gray, Gimmi, Lombard, Zhou, White, Fingeroth, Gribben, and Nadler.

Zijlstra, M. *See* Eichelberger, Allan, Zijlstra, Jaenisch, and Doherty.

Zinkernagel, R.M. *See* Fung-Leung, Kündig, Zinkernagel, and Mak.

Zsebo, K.M. *See* Tsai, Shih, Newlands, Takeishi, Langley, Zsebo, Miller, Geissler, and Galli.

Zweerink, H. *See* Anderson, Cresswell, Gammon, Hermes, Williamson, and Zweerink.

Subject Index

Activation
  antigen B7 B lymphocyte 625
Activator
  protein 1 tissue factor gene 1517
Adenosine
  deaminase leukemia inhibitory factor hematopoiesis 837
Adenovirus
  E19 glycoprotein antigen presentation 1629
  phosphorylation HLA class I antigen 1159
Adhesin
  Trichomonas iron 311
Adhesion
  CD8 cytotrophoblast HLA G antigen 737
  CD8 thymus leukemia antigen 1131
  enteropathogenic Escherichia outer membrane protein 1167
  fibrinogen integrin B lymphocyte proliferation 1313
  ICAM2 glycoprotein LFA1 antigen 253
  mol endothelium platelet interleukin 1 785
Adoptive
  immunotherapy sarcoma interleukin 7 lymphocyte 1511
Advanced
  glycosylation product binding protein liver 515
Albumin
  transport blood brain barrier meningitis 657
Allergic
  encephalomyelitis TCR beta chain CDR3 1467
Allergy
  mRNA colony stimulating factor eosinophil 749
Alloantigen
  transplantation class I antigen 571
Alloreactivity
  T lymphocyte peptide H2 antigen 1059
Amino
  acid single interchange epitope Ig 613
Ammonium
  chloride phagosome endosome fusion macrophage 881
Antibody
  auto biosynthesis Yaa gene mouse 1023
  complement C3b binding site 1451
  idiotype DNA lupus 1639
  influenza virus hemagglutinin antigen complex 243
  monoclonal stem cell antigen 161
  recombinant Pfs25 protein vaccine malaria 1203
  rRNA lupus ribosome P protein 507
Antigen
  activation B7 B lymphocyte 625
  bystander suppression oral administration 791
  B7 receptor CTLA 4 protein 561
  CD16 natural killer thymocyte precursor 21
  CD2 signal transduction lymphocyte 1407
  CD2 T lymphocyte immunosuppression 957
  CD4 HIV glycoprotein gp120 conformation 407
  CD44 isoform lymphocyte receptor human 1
  CD44 isoform tumor growth 859
  CD45 colony stimulating factor myelopoiesis 447
  CD6 repeated domain structure 949
  CD69 cytolytic lymphocyte TCR receptor 1393
  CD8 HLA class I interaction 371
  CD8 lymphocytic choriomeningitis virus immunity 1425
  class I cytotoxic T lymphocyte 15
  class I Hmt 941
  class I lymphocyte virus clearance 875
  class I nucleoprotein peptide 425
  class I presentation hemagglutinin peptide 733
  class I transplantation alloantigen 571
  class II binding peptide antigen 1111
  class II gene histocompatibility complex 1607
  class II gene repression cAMP 1583
  class II monocyte interleukin 10 915
  class II peptide glycosylphosphatidylinositol 219
  class II peptide T lymphocyte 945
  epithelium integrin assocd natural killer 1571
  gene regulation lymphoma transcription factor 269
  hemagglutinin influenza virus complex antibody 243
  histocompatibility class II chain pairing 799
  HLA class I phosphorylation adenovirus 1159
  HLA correlation TCR V segment 1139
  HLA G CD8 adhesion cytotrophoblast 737
  H2 peptide alloreactivity T lymphocyte 1059
  Ia T lymphocyte immune tolerance 435
  LA45 identity HLA Aw662 1085
  LFA1 cytoplasm domain 1227
  LFA1 ICAM2 glycoprotein adhesion 253
  minor histocompatibility cytotoxic lymphocyte 27
  nucleocapsid restricted epitope hepatitis virus 1565
  Onchocerca pigment epithelium protein 169
  peptide immediate hypersensitivity regulation 847
  presentation adenovirus E19 glycoprotein 1629
  presentation disulfide redn insulin processing 1121
  presentation virus histocompatibility cytotoxic lymphocyte 133
  processing endoplasmic reticulum translocation 489
  receptor B lymphocyte tyrosine kinase 381
  receptor fluorescein structure function 229
  receptor gene diabetes 633
  receptor histocompatibility restriction antitumor 193
  receptor Ig Fc receptor lymphocyte 1407
  receptor M protein Streptococcus 285
  receptor repertoire T lymphocyte 989
  receptor T cell gene sequence 1537
  receptor T lymphocyte xenogeneic transplant 467
  skin lymphocyte homing receptor ELAM1 1461
  stem cell monoclonal antibody 161
  stimulation effector helper lymphocyte cytokine 547
  T lymphocyte immune memory 969
  TCR interaction 229
  thymocyte T cell receptor heterodimer 293
  thymus leukemia adhesion CD8 1131
  thymus leukemia gene intestine epithelium 213
Antigenic
  peptide binding motif H2Kd restriction 603
Antisense
  oligonucleotide gene MZF1 granulopoiesis 1097
Antiserum
  gp120 gp41 HIV1 virus infection 1557
Antitumor
  cytotoxic T lymphocyte interleukin 7 1511
  lymphokine killer cell immunodeficiency lymphoma 139
  natural killer H2 transgene 327
  TCR cytotoxic lymphocyte subset 193
Antivirus
  HIV Lactobacillus hydrogen peroxide 289
Arginine
  macrophage pH regulation ATPase 1009
Arthritis
  Lyme Borrelia helper lymphocyte lymphokine 593
ATPase
  pH regulation macrophage arginine 1009
Auto
  antibody biosynthesis Yaa gene mouse 1023
Autoantibody
  RNA polymerase transcription factor hUBF 1239
  28S rRNA lupus GTPase 507
Autoantigen
  TCR receptor T lymphocyte 1001
Autoreactive
  B cell lymphoma clonal selection 525
B
  cell lymphoma autoreactive clonal selection 525
  lymphocyte activation antigen B7 625
  lymphocyte antigen receptor tyrosine kinase 381
  lymphocyte B7 receptor CTLA 4 561
  lymphocyte Ig subfamily gene newborn 109
  lymphocyte mammary tumor provirus gene 1439
  lymphocyte proliferation integrin fibrinogen adhesion 1313
  lymphocyte selection IgM gene rearrangement 1189
  lymphocyte tolerance CD8 Ig transgene 1335
  T lymphocyte lifespan 717
Bacteria
  TCR alpha beta lymphocyte liver 417
  Trypanosoma neuraminidase sequence homol 179
Bactericidal
  permeability increasing protein neutrophil endotoxin 649
Blood
  brain barrier albumin transport meningitis 657
Bone
  marrow nerve growth factor 7
  marrow transplant TCR hematopoiesis 467
Borrelia
  helper lymphocyte lymphokine Lyme arthritis 593
Brain
  blood barrier albumin transport meningitis 657
  ischemia lipocortin 1 305
B7
  activation antigen B lymphocyte 625
  antigen receptor CTLA 4 protein 561
C
  Kit gene hemopoietic precursor cell 63
cAMP
  class II antigen gene 1583
CD11c
  CD18 B lymphocyte adhesion activation 1313
CD16
  antigen natural killer thymocyte precursor 21
CD2
  antigen signal transduction lymphocyte 1407
  antigen T lymphocyte immunosuppression 957
CD3
  gamma chain T cell receptor 319
CD4
  antigen HIV glycoprotein gp120 conformation 407
  antigen thymocyte TCR induction 293
CD44
  antigen isoform tumor growth 859
CD45
  antigen colony stimulating factor myelopoiesis 447
CD6
  antigen repeated domain structure 949

CD69
antigen cytolytic lymphocyte TCR recep= tor 1393
CD8
adhesion cytotrophoblast HLA G antigen 737
adhesion thymus leukemia antigen 1131
antigen HLA class I interaction 371
antigen lymphocytic choriomeningitis virus immunity 1425
antigen thymocyte TCR induction 293
cytotoxic T lymphocyte macrophage Le= ishmania 499
Ig transgene B lymphocyte tolerance 1335
Cell
T receptor gene Plasmodium peptide 1371
Chick
embryo lymphocyte precursor sepn 397
Chimera
tumor necrosis factor receptor IgG 1483
Chromosome
translocation human T cell leukemia 867
Chymase
mast cell interleukin 1beta precursor 821
Class
I antigen cytotoxic T lymphocyte 15
I antigen HLA phosphorylation adenovirus 1159
I antigen Hmt 941
I antigen lymphocyte antitumor 193
I antigen lymphocyte virus clearance 875
I antigen nucleoprotein peptide 425
I antigen presentation hemagglutinin peptide 733
I antigen restriction peptide processing 489
I antigen transplantation alloantigen 571
I epitope HIV virus gp120 53
I histocompatibility antigen allele gorilla 1491
I HLA interaction CD8 antigen 371
II antigen gene histocompatibility complex 1607
II antigen gene repression cAMP 1583
II antigen hemagglutinin complex antibody 243
II antigen histocompatibility chain pairing 799
II antigen monocyte interleukin 10 915
II antigen peptide antigen binding 1111
II antigen peptide antigen immunity 847
II antigen peptide glycosylphosphatidyli= nositol 219
II antigen peptide T lymphocyte 945
Clonal
selection autoreactive B cell lymphoma 525
Colony
stimulating factor hemopoiesis cKit gene 63
stimulating factor interleukin eosinophil neutrophil 745
stimulating factor myelopoiesis CD45 antigen 447
Complement
C1 human immunodeficiency virus gp41 1417
C3 chain eosinophil cytotoxicity inhibitor 1267
C3 phenolic glycolipid 1 Mycobacterium 1031
C3b binding site antibody inhibitor 1451
decay accelerating factor phospholipid transmembrane 35
killing Schistosoma decay accelerating factor 1399
membrane cofactor protein isoform 93
receptor CR2 Epstein Barr virus 1299
Complementary
detg region TCR beta encephalomyelitis 1467
Conformation
HIV glycoprotein gp120 CD4 antigen 407
Correction
mannose binding protein sequence lectin 753
T cell chain CD3 interaction 953
T receptor alpha chain repertoire 1287
Cryptococcus
polysaccharide binding Ig variable chain 151
CTLA
4 protein B7 antigen receptor 561
Cyclosporine
transforming growth factor interleukin 2 1259
Cytokine
effector helper lymphocyte antigen stimu= lation 547
formation monocyte interleukin 10 1209
formation thymus growth factor 1147
gene heart transplantation 493
helper lymphocyte Mycobacterium leprosy 583
platelet interleukin 1 785
Cytolysis
helper T lymphocyte Ig formation 809
Cytolytic
lymphocyte CD69 antigen TCR receptor 1393
Cytoplasm
domain LFA1 antigen 1227
pH macrophage nitric oxide 1009
Cytotoxic
lymphocyte epitope influenza virus nucleo= protein 425
lymphocyte histocompatibility antigen presentation virus 133
lymphocyte lymphocytic choriomeningitis virus persistence 203
lymphocyte minor histocompatibility antigen 27
lymphocyte subset TCR antitumor 193
T lymphocyte antitumor interleukin 7 1511
T lymphocyte class I antigen 15
T lymphocyte epithelium integrin 1571
T lymphocyte macrophage CD8 Leishma= nia 499
T lymphocyte virus lipopeptide vaccine 1665
Cytotoxicity
eosinophil inhibitor complement C3 chain 1267
Cytotrophoblast
HLA G antigen CD8 adhesion 737
Deaminase
adenosine leukemia inhibitory factor he= matopoiesis 837
Decay
accelerating factor phospholipid tran= smembrane complement 35
accelerating factor Schistosoma comple= ment killing 1399
Deciduoma
metrial gland cell perforin 1221
Developmental
potential thymus hemopoietic precursor 1617
Diabetes
mouse T cell receptor gene 633
nephropathy mesangium glycoprotein receptor 931
prone resistant inbred rat 297
Diacylglycerol
phosphatidylcholine tumor necrosis factor 975
Disulfide
redn insulin processing antigen presenta= tion 1121
DNA
antibody idiotype lupus 1639
DR
antigen hemagglutinin peptide complex antibody 243
Effector
helper lymphocyte antigen stimulation cytokine 547
EGF
cytokine formation thymus 1147
ELAM1
homing receptor skin lymphocyte antigen 1461
VCAM1 ICAM1 T lymphocyte stimulation 901
Embryo
chick lymphocyte precursor sepn 397
ENA
78 neutrophil activation interleukin 8 1355
Encephalomyelitis
allergic TCR beta chain CDR3 1467
Endoplasmic
reticulum adenovirus E19 antigen presen= tation 1629
reticulum translocation antigen processing 489
Endosome
phagosome fusion macrophage ammonium chloride 881
Endothelium
adhesion mol platelet interleukin 1 785
ELAM1 cutaneous lymphocyte antigen homing 1461
Endotoxin
bactericidal permeability increasing protein neutrophil 649
Enteropathogenic
Escherichia adhesion outer membrane protein 1167
Envelope
glycoprotein epitope immunodeficiency virus vaccine 1557
Eosinophil
activation mRNA colony stimulating fac= tor 749
cytotoxicity inhibitor complement C3 chain 1267
human immunodeficiency virus infection 1661
interleukin 3 release 745
Epithelium
antigen integrin assocd natural killer 1571
intestine thymus leukemia antigen gene 213
Neisseria infection outer membrane pro= tein 705
pigment protein Onchocerca antigen 169
Epitope
cytotoxic lymphocyte influenza virus nu= cleoprotein 425
influenza hemagglutinin Ig specificity 613
restricted hepatitis virus nucleocapsid antigen 1565
Epstein
Barr virus complement receptor CR2 1299
Erythrocyte
ganglioside hemolysis 1385
Escherichia
enteropathogenic adhesion outer mem= brane protein 1167
Exotoxin
A pyrogenic Streptococcus gene speA 1271
Eye
protein Onchocerca antigen 169
E19
glycoprotein adenovirus antigen presenta= tion 1629
E3
protein phosphorylation histocompatibility antigen 1159
Fc
IgE receptor tumor necrosis factor 103
Fetal
thymus human lymphoid reconstitution mice 1283
Fetus
mouse TCR receptor nontemplated region 115
Fibrinogen
adhesion integrin B lymphocyte prolifera= tion 1313
Fibrinolysis
tumor necrosis factor 729
Fibronectin
domain neuraminidase Trypanosoma 179
interaction multipotent hematopoietic precursor 693
Fluorescein
antigen receptor structure function 229
Formyl
peptide binding presentation Hmt antigen 941
Fusion
phagosome endosome macrophage ammo= nium chloride 881
G
antigen HLA CD8 adhesion cytotrophob= last 737
Gag
protein HIV lymphocyte 1593
Ganglioside
erythrocyte hemolysis 1385
Gene
adhesin Trichomonas iron 311
antigen CD44R1 CD44R2 human sequence 1
antigen regulation lymphoma transcription factor 269
bcl2 translocation salivary gland lympho= ma 1245
B7 antigen sequence 625
c Kit hemopoietic precursor cell 63
c Kit mast cell development 125
class II antigen histocompatibility complex 1607
class II antigen repression cAMP 1583
cytokine heart transplantation 493
family VH xid mutation 45
HLA Aw662 sequence 1085
Ig mapping rearrangement human 335
Ig recombination severe combined immu= nodeficiency 1039
Ig variable heavy newborn lymphocyte 109
Ity mouse virulence Salmonella mviA 1073
lck TCR recombination T leukemia 867
long terminal repeat Moloney virus 389
mammary tumor provirus B lymphocyte 1439
mouse mammary tumor virus superantigen

1255
MZF1 antisense oligonucleotide granulo= poiesis 1097
neuraminidase sequence Trypanosoma 179
Rb transforming growth factor hemato= poiesis 925
rearrangement IgM B lymphocyte selection 1189
regulation tumor necrosis factor lympho= cyte 73
speA allele clonal distribution Streptococ= cus 1271
T cell antigen receptor sequence 1537
T cell receptor coexpression mouse 815
T cell receptor diabetes mouse 633
T cell receptor Plasmodium peptide 1371
TCR lymphocyte Streptococcus superanti= gen 285
TCR receptor junction nontemplated region 115
TCR receptor T lymphocyte leprosy 683
TCR SCID mouse P nucleotide 769
TCR Vbeta17 junctional repertoire 989
thymus leukemia antigen intestine epithe= lium 213
tissue factor activation monocyte lipopoly= saccharide 1517
transforming growth factor T lymphocyte 1259
tumor necrosis factor histamine monocyte 281
Vbeta myoglobin T cell receptor 83
Yaa mouse auto antibody biosynthesis 1023
Genetics
mouse TCR beta chain region 1263
Glycolipid
phenolic 1 Mycobacterium complement C3 1031
Glycoprotein
envelope epitope immunodeficiency virus vaccine 1557
E19 adenovirus antigen presentation 1629
gp120 conformation HIV CD4 antigen 407
ICAM2 adhesion LFA1 antigen 253
receptor mesangium diabetes nephropathy 931
Glycosylation
macrophage macrosialin inflammatory stimulus 827
Glycosylphosphatidylinositol
class II antigen peptide 219
Gonorrhea
lipooligosaccharide Neisseria 1601
Gorilla
class I histocompatibility antigen allele 1491
Gp120
glycoprotein conformation HIV CD4 anti= gen 407
gp41 antiserum HIV1 virus infection 1557
HIV virus class I epitope 53
Gp41
gp120 antiserum HIV1 virus infection 1557
human immunodeficiency virus comple= ment C1 1417
Granulocyte
macrophage colony stimulating factor mRNA 749
macrophage colony stimulating factor release 745
Granulopoiesis
antisense oligonucleotide gene MZF1 1097
Growth
factor cytokine formation thymus 1147
GTPase
28S rRNA autoantibody lupus 507
Hapten
TCR interaction 229
Heart
transplantation cytokine gene 493
Heavy
variable Ig gene newborn lymphocyte 109
Helper
lymphocyte cytokine Mycobacterium leprosy 583
lymphocyte lymphokine Borrelia Lyme arthritis 593
T lymphocyte Ig formation cytolysis 809
Hemagglutinin
influenza epitope Ig specificity 613
influenza virus antigen complex antibody 243
peptide class I antigen presentation 733
Hematopoiesis
leukemia inhibitory factor adenosine deaminase 837
TCR bone marrow transplant 467
transforming growth factor Rb gene 925
Hematopoietic
precursor fibronectin interaction 693
Hemoglobinuria
paroxysmal nocturnal ganglioside hemoly= sis 1385
Hemolysis
ganglioside erythrocyte 1385
Hemopoietic
precursor cell c Kit gene 63
precursor thymus developmental potential 1617
Hepatitis
virus nucleocapsid antigen restricted epi= tope 1565
Histamine
tumor necrosis factor mononuclear cell 281
Histocompatibility
antigen class I allele gorilla 1491
antigen epitope immunodeficiency virus gp120 53
antigen phosphorylation E3 protein 1159
antigen presentation virus cytotoxic lym= phocyte 133
class II antigen chain pairing 799
complex antigen major gene 1583
complex class II antigen gene 1607
complex TCR antigen interaction 229
minor antigen cytotoxic lymphocyte 27
restriction antigen receptor antitumor 193
restriction lymphocyte influenza virus antigen 733
HIV
antivirus Lactobacillus hydrogen peroxide 289
glycoprotein gp120 conformation CD4 antigen 407
infection eosinophil human bone marrow 1661
p17 p24 gag protein lymphocyte 1593
virus gp120 class I epitope 53
HIV1
virus infection antiserum gp120 gp41 1557
virus nonproliferative monocyte infection 1477
HLA
antigen correlation TCR V segment 1139
Aw662 identity LA45 antigen 1085
A2 restriction hepatitis nucleocapsid anti= gen 1565
class I antigen phosphorylation adenovirus 1159
class I interaction CD8 antigen 371
G antigen CD8 adhesion cytotrophoblast 737
hUBF
transcription factor RNA polymerase autoantibody 1239
Human
antigen CD44 isoform lymphocyte receptor 1
fetal thymus lymphoid reconstitution mice 1283
Ig gene mapping rearrangement 335
immunodeficiency virus gp41 complement C1 1417
immunodeficiency virus infection eosino= phil 1661
immunodeficiency virus lymphocyte gag protein 1593
Sjoegrens syndrome translocation protoon= cogene bcl2 1245
T cell leukemia translocation chromosome 867
T cell receptor gene sequence 1537
Hydrogen
peroxide Lactobacillus HIV antivirus 289
H2
antigen peptide alloreactivity T lympho= cyte 1059
transgene natural killer antitumor 327
H2K
H2D antigen restriction influenza nucleo= protein 425
H2Kd
restriction antigenic peptide binding motif 603
Ia
antigen T lymphocyte immune tolerance 435
ICAM
binding LFA1 antigen 1227
ICAM1
VCAM1 ELAM1 T lymphocyte stimulation 901
ICAM2
glycoprotein adhesion LFA1 antigen 253
Idiotype
antibody DNA lupus 1639
Ig
CD8 transgene B lymphocyte tolerance 1335
Fc receptor antigen receptor lymphocyte 1407
formation helper T lymphocyte 809
gene mapping rearrangement human 335
gene recombination severe combined im= munodeficiency 1039
isotype interferon 1179
single amino acid interchange epitope 613
surface tyrosine kinase substrate lympho= cyte 381
variable chain Cryptococcus polysacchar= ide binding 151
variable heavy gene newborn lymphocyte 109
IgE
Fc receptor tumor necrosis factor 103
IgG
tumor necrosis factor receptor chimera 1483
IgM
carboxy terminus membrane lymphocyte activation 1103
gene rearrangement B lymphocyte selec= tion 1189
Immediate
hypersensitivity regulation peptide antigen 847
Immune
tolerance T lymphocyte Ia antigen 435
Immunity
lymphocytic choriomeningitis virus CD8 antigen 1425
Immunodeficiency
lymphoma lymphokine killer cell antitu= mor 139
lymphoma TL transgenic mouse 351
severe combined Ig gene recombination 1039
virus gp120 conformation CD4 antigen 407
virus gp120 histocompatibility antigen epitope 53
virus human infection eosinophil 1661
virus Lactobacillus hydrogen peroxide 289
virus vaccine envelope glycoprotein epi= tope 1557
Immunosuppression
T lymphocyte CD2 antigen 957
T lymphocyte interleukin 10 monocyte 915
Infection
HIV1 virus antiserum gp120 gp41 1557
HIV1 virus nonproliferative monocyte 1477
human immunodeficiency virus eosinophil 1661
Neisseria epithelium outer membrane protein 705
Inflammatory
peptide ENA78 neutrophil interleukin 8 1355
stimulus macrophage macrosialin glycosy= lation 827
Influenza
hemagglutinin epitope Ig specificity 613
virus antigen histocompatibility restriction lymphocyte 733
virus hemagglutinin antigen complex antibody 243
virus nucleoprotein cytotoxic lymphocyte epitope 425
Inhibitor
antibody complement C3b 1451
Insulin
processing disulfide redn antigen presenta= tion 1121
Integrin
assocd epithelium antigen natural killer 1571
B lymphocyte proliferation fibrinogen adhesion 1313
Interferon
Ig isotype lymphokine formation 1179
Interleukin
gene regulation lymphoma factor 269
hemopoiesis cKit gene 63
nerve growth factor mast cell 7
1 platelet endothelium adhesion mol 785
1 sol receptor purifn 1251
1beta precursor mast cell chymase 821
10 cytokine formation monocyte 1209
10 macrophage deactivation 1549
10 T lymphocyte immunosuppression monocyte 915
2 transforming growth factor lymphocyte 1259
3 release eosinophil neutrophil 745
4 receptor transport protein 673

7 antitumor cytotoxic T lymphocyte 1511
7 T lymphocyte tumor rejection 1291
8 ENA 78 neutrophil activation 1355
Intestine
epithelium thymus leukemia antigen gene 213
Iron
Listeria macrophage transferrin receptor 459
Trichomonas adhesin 311
Ischemia
brain lipocortin 1 305
Kd
restricted neoantigen self peptide conversion 1657
Killer
cell lymphokine antitumor immunodeficiency lymphoma 139
lymphocyte lymphokine activated metastasis 479
Kinase
protein tumor necrosis factor 975
tyrosine B lymphocyte antigen receptor 381
Lactobacillus
hydrogen peroxide HIV antivirus 289
LA45
antigen identity HLA Aw662 1085
Leishmania
CD8 cytotoxic T lymphocyte macrophage 499
defense macrophage tumor necrosis factor 755
Leprosy
Mycobacterium helper lymphocyte cytokine 583
T lymphocyte receptor TCRgamma delta 683
Leukemia
human T cell translocation chromosome 867
inhibitory factor hematopoiesis adenosine deaminase 837
LFA1
antigen cytoplasm domain 1227
antigen ICAM2 glycoprotein adhesion 253
Lipocortin
1 brain ischemia 305
Lipooligosaccharide
Neisseria gonorrhea 1601
Lipopeptide
virus vaccine cytotoxic T lymphocyte 1665
Lipopolysaccharide
tissue factor gene activation monocyte 1517
Lipoprotein
receptor domain neuraminidase Trypanosoma 179
Listeria
immunity neutrophil 741
macrophage transferrin receptor iron 459
Liver
advanced glycosylation product binding protein 515
TCR alpha beta lymphocyte bacteria 417
Long
terminal repeat Moloney virus gene 389
Lupus
antibody idiotype DNA 1639
nephritis lymphocyte Staphylococcus superantigen 1431
ribosome P protein rRNA antibody 507
Lyme
arthritis Borrelia helper lymphocyte lymphokine 593
Lymphocyte
activation membrane IgM carboxy terminus 1103
B antigen receptor tyrosine kinase 381
B B7 receptor CTLA 4 561
B Ig subfamily gene newborn 109
B mammary tumor provirus gene 1439
B proliferation integrin fibrinogen adhesion 1313
B selection IgM gene rearrangement 1189
B T lifespan 717
B tolerance CD8 Ig transgene 1335
CD2 antigen signal transduction 1407
class I antigen virus clearance 875
cytolytic CD69 antigen TCR receptor 1393
cytotoxic epitope influenza virus nucleoprotein 425
cytotoxic histocompatibility antigen presentation virus 133
cytotoxic lymphocytic choriomeningitis virus persistence 203
cytotoxic minor histocompatibility antigen 27
cytotoxic subset TCR antitumor 193
cytotoxic T antitumor interleukin 7 1511
cytotoxic T class I antigen 15
cytotoxic T epithelium integrin 1571
cytotoxic T macrophage CD8 Leishmania 499
cytotoxic T virus lipopeptide vaccine 1665
effector helper antigen stimulation cytokine 547
gene regulation tumor necrosis factor 73
helper cytokine Mycobacterium leprosy 583
helper lymphokine Borrelia Lyme arthritis 593
helper T Ig formation cytolysis 809
histocompatibility restriction influenza virus antigen 733
HIV p17 p24 gag protein 1593
lupus nephritis Staphylococcus superantigen 1431
lymphokine activated killer metastasis 479
precursor sepn chick embryo 397
receptor human antigen CD44 isoform 1
skin antigen homing receptor ELAM1 1461
T alloreactivity peptide H2 antigen 1059
T antigen receptor repertoire 989
T antigen receptor xenogeneic transplant 467
T autoantigen TCR receptor 1001
T B activation antigen B7 625
T class II antigen peptide 945
T help macrophage antileishmania monokine 755
T Ia antigen immune tolerance 435
T immune memory antigen 969
T immunity peptide antigen 847
T immunosuppression CD2 antigen 957
T immunosuppression interleukin 10 monocyte 915
T leprosy receptor TCRgamma delta 683
T platelet derived growth factor 1323
T priming scid mouse 1653
T stimulation VCAM1 ICAM1 ELAM1 901
T tumor rejection interleukin 7 1291
T Vbeta17 subset Mycoplasma superantigen 891
TCR alpha beta liver bacteria 417
TCR complex CD3 gamma chain 319
TCR gamma delta TL transgenosis 351
TCR gene Streptococcus superantigen 285
thyroid autoreactive thyroxine epitope thyroglobulin 363
transforming growth factor interleukin 2 1259
Lymphocytic
choriomeningitis virus immunity CD8 antigen 1425
choriomeningitis virus persistence cytotoxic lymphocyte 203
Lymphoid
reconstitution human fetal thymus mice 1283
Lymphokine
activated killer lymphocyte metastasis 479
formation interferon 1179
helper lymphocyte Borrelia Lyme arthritis 593
killer cell antitumor immunodeficiency lymphoma 139
Lymphoma
B cell autoreactive clonal selection 525
immunodeficiency lymphokine killer cell antitumor 139
immunodeficiency TL transgenic mouse 351
salivary gland gene bcl2 translocation 1245
transcription factor antigen gene regulation 269
Lysozyme
macrophage activation 1049
M
protein Streptococcus antigen receptor 285
Macrophage
activation lysozyme 1049
cytotoxic T lymphocyte CD8 Leishmania 499
deactivation interleukin 10 1549
Leishmania defense tumor necrosis factor 755
Listeria transferrin receptor iron 459
macrosialin glycosylation inflammatory stimulus 827
nitric oxide tumor ribonucleotide reductase 761
pH regulation ATPase arginine 1009
phagosome endosome fusion ammonium chloride 881
receptor glucose modified protein 515
Macrosialin
glycosylation inflammatory stimulus 827
Major
histocompatibility complex antigen gene 1583
Malaria
vaccine recombinant Pfs25 protein antibody 1203
Mammary
tumor provirus gene B lymphocyte 1439
tumor virus gene superantigen 1255
Mannose
binding protein sequence lectin correction 753
Mapping
human Ig gene rearrangement 335
Mast
cell chymase interleukin 1beta precursor 821
cell development gene c Kit 125
cell interleukin nerve growth factor 7
cell tumor necrosis factor release 103
Membrane
cofactor protein complement damage 35
cofactor protein complement isoform 93
expression TCR beta chain 775
IgM carboxy terminus lymphocyte activation 1103
outer protein Neisseria infection epithelium 705
Memory
immune antigen T lymphocyte 969
Meningitis
albumin transport blood brain barrier 657
Mesangium
glycoprotein receptor diabetes nephropathy 931
Metastasis
lymphokine activated killer lymphocyte 479
Metrial
gland cell deciduoma perforin 1221
Mice
lymphoid reconstitution human fetal thymus 1283
Minor
histocompatibility antigen cytotoxic lymphocyte 27
Moloney
virus gene long terminal repeat 389
Monoclonal
antibody stem cell antigen 161
Monocyte
cytokine formation interleukin 10 1209
gene tumor necrosis factor histamine 281
infection HIV1 virus 1477
interleukin 10 T lymphocyte immunosuppression 915
phagocytosis phenolic glycolipid 1 1031
tissue factor gene activation lipopolysaccharide 1517
Mononuclear
cell tumor necrosis factor histamine 281
Motility
related protein 1 neoplasm motility 1347
Mouse
diabetes T cell receptor gene 633
fetus TCR receptor nontemplated region 115
genetics TCR beta chain region 1263
mammary tumor virus gene superantigen 1255
Salmonella virulence gene mviA mutation 1073
SCID T cell receptor junction 769
scid T lymphocyte priming 1653
transgenic T cell receptor beta 815
transgenic TL immunodeficiency lymphoma 351
Yaa gene auto antibody biosynthesis 1023
mRNA
granulocyte macrophage colony stimulating factor 749
Multipotent
hematopoietic precursor fibronectin interaction 693
Mutation
gene mviA Salmonella virulence mouse 1073
gene speA exotoxin A Streptococcus 1271
xid VH gene family 45
Mycobacterium
helper lymphocyte cytokine leprosy 583
phenolic glycolipid 1 complement C3 1031
Mycoplasma
superantigen T lymphocyte Vbeta17 subset 891

Myelopoiesis
colony stimulating factor CD45 antigen 447
Myoglobin
Vbeta gene T cell receptor 83
Natural
killer antitumor H2 transgene 327
killer CD16 antigen thymocyte precursor 21
killer integrin assocd epithelium antigen 1571
killer triggering peptide 1527
Neisseria
infection epithelium outer membrane protein 705
lipooligosaccharide gonorrhea 1601
Neoantigen
Kd restricted self peptide conversion 1657
Neoplasm
motility related protein 1 1347
Nephritis
lupus lymphocyte Staphylococcus superantigen 1431
Nephropathy
diabetes mesangium glycoprotein receptor 931
Nerve
growth factor interleukin mast cell 7
Neuraminidase
sequence domain structure Trypanosoma 179
Neutrophil
activation ENA 78 interleukin 8 1355
bactericidal permeability increasing protein endotoxin 649
interleukin 3 release 745
Newborn
lymphocyte Ig variable heavy gene 109
Nitric
oxide cytoplasm pH macrophage 1009
oxide macrophage tumor ribonucleotide reductase 761
Nonhematopoietic
tissue Ia antigen immune tolerance 435
Nonproliferative
monocyte infection HIV1 virus 1477
Nuclear
factor KappaB tissue factor gene 1517
Nucleocapsid
antigen restricted epitope hepatitis virus 1565
Nucleoprotein
peptide class I antigen 425
Nucleotide
P gene TCR SCID mouse 769
Oligonucleotide
antisense gene MZF1 granulopoiesis 1097
Onchocerca
antigen pigment epithelium protein 169
Oral
administration antigen bystander suppression 791
Outer
membrane protein adhesion enteropathogenic Escherichia 1167
membrane protein Neisseria infection epithelium 705
P
protein ribosome rRNA antibody lupus 507
Paroxysmal
nocturnal hemoglobinuria ganglioside hemolysis 1385
Peptide
antigen binding class II antigen 1111
antigen immediate hypersensitivity regulation 847
antigenic binding motif H2Kd restriction 603
class II antigen glycosylphosphatidylinositol 219
formyl binding presentation Hmt antigen 941
hemagglutinin class I antigen presentation 733
hemagglutinin complex DR antigen antibody 243
H2 antigen alloreactivity T lymphocyte 1059
nucleoprotein class I antigen 425
Plasmodium T cell receptor gene 1371
processing class I antigen restriction 489
self conversion Kd restricted neoantigen 1657
T lymphocyte class II antigen 945
triggering natural killer 1527
Perforin
metrial gland cell deciduoma 1221
Permeability
bactericidal increasing protein neutrophil endotoxin 649
Peroxide
hydrogen Lactobacillus HIV antivirus 289
Persistence
lymphocytic choriomeningitis virus cytotoxic lymphocyte 203
Pfs25
protein recombinant vaccine malaria antibody 1203
PGE2
tumor necrosis factor alpha sphingosine 1363
pH
regulation macrophage ATPase arginine 1009
Phagocytosis
monocyte phenolic glycolipid 1 1031
Phagosome
endosome fusion macrophage ammonium chloride 881
Phenolic
glycolipid 1 Mycobacterium complement C3 1031
Phorbol
ester phosphorylation LFA1 1227
ester tumor necrosis factor gene 73
Phosphatidylcholine
phospholipase C tumor necrosis factor 975
Phospholipase
C phosphatidylcholine tumor necrosis factor 975
Phospholipid
decay accelerating factor complement 35
Phosphorylation
HLA class I antigen adenovirus 1159
phorbol ester LFA1 1227
Pigment
epithelium protein Onchocerca antigen 169
Plasmodium
peptide T cell receptor gene 1371
Platelet
derived growth factor T lymphocyte 1323
interleukin 1 endothelium adhesion mol 785
Polymerase
RNA transcription factor hUBF autoantibody 1239
Polysaccharide
Cryptococcus binding Ig variable chain 151
Promoter
class II antigen gene 1583
Prone
resistant diabetes inbred rat 297
Protein
advanced glycosylation product binding liver 515
bactericidal permeability increasing neutrophil endotoxin 649
CTLA 4 B7 antigen receptor 561
E3 phosphorylation histocompatibility antigen 1159
gag HIV lymphocyte 1593
glucose modified macrophage receptor 515
kinase tumor necrosis factor 975
M Streptococcus antigen receptor 285
membrane cofactor complement damage 35
membrane cofactor complement isoform 93
motility related 1 neoplasm motility 1347
outer membrane adhesion enteropathogenic Escherichia 1167
outer membrane Neisseria infection epithelium 705
pigment epithelium Onchocerca antigen 169
transport interleukin 4 receptor 673
Proteinase
mast cell stem factor cKit 125
Protooncogene
bcl2 translocation human Sjoegrens syndrome 1245
Provirus
mammary tumor gene B lymphocyte 1439
P17
p24 gag protein HIV lymphocyte 1593
P24
p17 gag protein HIV lymphocyte 1593
Rat
inbred diabetes prone resistant 297
Rb
gene transforming growth factor hematopoiesis 925
Rearrangement
human Ig gene mapping 335
Receptor
antigen B lymphocyte tyrosine kinase 381
antigen fluorescein structure function 229
antigen histocompatibility restriction antitumor 193
antigen Ig Fc lymphocyte 1407
antigen M protein Streptococcus 285
antigen repertoire T lymphocyte 989
antigen T lymphocyte xenogeneic transplant 467
B7 antigen CTLA 4 protein 561
complement CR2 Epstein Barr virus 1299
glucose modified protein macrophage 515
glycoprotein mesangium diabetes nephropathy 931
histamine tumor necrosis factor monocyte 281
homing ELAM1 skin lymphocyte antigen 1461
IgE Fc tumor necrosis factor 103
interleukin 4 transport protein 673
lipoprotein domain neuraminidase Trypanosoma 179
lymphocyte human antigen CD44 isoform 1
sol interleukin 1 purifn 1251
T cell alpha chain repertoire 639
T cell beta transgenic mouse 815
T cell CD3 gamma chain 319
T cell gene diabetes mouse 633
T cell gene Plasmodium peptide 1371
T cell heterodimer antigen thymocyte 293
T cell junction SCID mouse 769
T cell Vbeta gene myoglobin 83
TCR CD69 antigen cytolytic lymphocyte 1393
TCR chain thymus precursor 1279
TCR nontemplated region mouse fetus 115
TCRgamma delta T lymphocyte leprosy 683
transferrin Listeria macrophage iron 459
tumor necrosis factor IgG chimera 1483
Recombinant
Pfs25 protein vaccine malaria antibody 1203
Recombination
gene Ig severe combined immunodeficiency 1039
gene lck TCR T leukemia 867
Redn
disulfide insulin processing antigen presentation 1121
Reductase
ribonucleotide tumor macrophage nitric oxide 761
Repeated
domain structure antigen CD6 949
Resistant
prone diabetes inbred rat 297
Retrovirus
vector stem cell adenosine deaminase 837
Ribonucleotide
reductase tumor macrophage nitric oxide 761
Ribosome
P protein rRNA antibody lupus 507
RNA
polymerase transcription factor hUBF autoantibody 1239
rRNA
antibody lupus ribosome P protein 507
Salivary
lymphoma Sjoegrens syndrome bcl2 translocation 1245
Salmonella
gene mviA mutation virulence mouse 1073
Sarcoma
interleukin 7 lymphocyte adoptive immunotherapy 1511
Schistosoma
complement killing decay accelerating factor 1399
SCID
mouse T cell receptor junction 769
mouse T lymphocyte priming 1653
Self
peptide conversion Kd restricted neoantigen 1657
Sequence
antigen CD44R1 CD44R2 gene human 1
gene B7 antigen 625
gene HLA Aw662 1085
neuraminidase domain structure Trypanosoma 179
T cell antigen receptor gene 1537
Severe
combined immunodeficiency Ig gene recombination 1039
combined immunodeficiency TCR gene recombination 769

Signal
transduction CD2 antigen lymphocyte 1407
Sjoegrens
syndrome human protooncogene bcl2 translocation 1245
Skin
lymphocyte antigen homing receptor ELAM1 1461
Sol
receptor interleukin 1 purifn 1251
Sphingosine
tumor necrosis factor alpha PGE2 1363
Staphylococcus
superantigen lupus nephritis lymphocyte 1431
Stem
cell antigen monoclonal antibody 161
cell factor gene c Kit 125
cell retrovirus vector adenosine deaminase 837
Streptococcus
gene speA pyrogenic exotoxin A 1271
superantigen TCR gene lymphocyte 285
Structure
function antigen receptor fluorescein 229
Superantigen
mouse mammary tumor virus gene 1255
Mycoplasma T lymphocyte Vbeta17 subset 891
Staphylococcus lupus nephritis lymphocyte 1431
Streptococcus TCR gene lymphocyte 285
Suppression
bystander antigen oral administration 791
Surface
Ig tyrosine kinase substrate lymphocyte 381
T
B lymphocyte activation antigen B7 625
cell antigen receptor gene sequence 1537
cell chain CD3 interaction correction 953
cell leukemia human translocation chromosome 867
cell receptor alpha chain repertoire 639
cell receptor beta transgenic mouse 815
cell receptor CD3 gamma chain 319
cell receptor gene diabetes mouse 633
cell receptor gene Plasmodium peptide 1371
cell receptor heterodimer antigen thymocyte 293
cell receptor junction SCID mouse 769
cell receptor Vbeta gene myoglobin 83
lymphocyte alloreactivity peptide H2 antigen 1059
lymphocyte antigen receptor repertoire 989
lymphocyte antigen receptor xenogeneic transplant 467
lymphocyte autoantigen TCR receptor 1001
lymphocyte help macrophage antileishmania monokine 755
lymphocyte helper Ig formation cytolysis 809
lymphocyte Ia antigen immune tolerance 435
lymphocyte immune memory antigen 969
lymphocyte immunity peptide antigen 847
lymphocyte immunosuppression CD2 antigen 957
lymphocyte immunosuppression interleukin 10 monocyte 915
lymphocyte interleukin 2 gene 1259
lymphocyte leprosy receptor TCRgamma delta 683
lymphocyte lifespan 717
lymphocyte peptide class II antigen 945
lymphocyte platelet derived growth factor 1323
lymphocyte priming scid mouse 1653
lymphocyte stimulation VCAM1 ICAM1 ELAM1 901
lymphocyte transforming growth factor gene 1259
lymphocyte tumor rejection interleukin 7 1291
lymphocyte Vbeta17 subset Mycoplasma superantigen 891
receptor alpha chain repertoire correction 1287
TCR
alpha beta lymphocyte liver bacteria 417
antigen hapten interaction 229
beta chain allergic encephalomyelitis CDR3 1467
beta chain membrane expression 775
beta chain region mouse genetics 1263
complex lymphocyte CD3 gamma chain 319
cytotoxic lymphocyte subset antitumor 193
gamma chain modification thymus precursor 1279
gamma delta lymphocyte TL transgenosis 351
gene lymphocyte Streptococcus superantigen 285
hematopoiesis bone marrow transplant 467
receptor autoantigen T lymphocyte 1001
receptor CD69 antigen cytolytic lymphocyte 1393
receptor gene regulation lymphoma factor 269
receptor junction nontemplated region gene 115
V segment HLA antigen correlation 1139
Vbeta17 gene junctional repertoire 989
TCRgamma
delta receptor T lymphocyte leprosy 683
Thymocyte
antigen T cell receptor heterodimer 293
precursor CD16 antigen natural killer 21
Thymus
cytokine formation growth factor 1147
hemopoietic precursor developmental potential 1617
human fetal lymphoid reconstitution mice 1283
leukemia antigen adhesion CD8 1131
leukemia antigen gene intestine epithelium 213
precursor TCR gamma chain modification 1279
Thyroglobulin
thyroxine epitope thyroid autoreactive lymphocyte 363
Thyroid
autoreactive lymphocyte thyroxine epitope thyroglobulin 363
Thyroxine
epitope thyroglobulin thyroid autoreactive lymphocyte 363
Tissue
factor gene activation monocyte lipopolysaccharide 1517
nonhematopoietic Ia antigen immune tolerance 435
TL
transgenic mouse immunodeficiency lymphoma 351
Tolerance
B lymphocyte CD8 Ig transgene 1335
Toxic
shock like syndrome Streptococcus exotoxin 1271
Transcription
factor hUBF RNA polymerase autoantibody 1239
factor lymphoma antigen gene regulation 269
Transferrin
Listeria macrophage receptor iron 459
Transforming
growth factor beta Trypanosoma infection 539
growth factor cytokine formation thymus 1147
growth factor interleukin 2 lymphocyte 1259
growth factor Rb gene hematopoiesis 925
Transgene
CD8 Ig B lymphocyte tolerance 1335
H2 natural killer antitumor 327
Transgenic
mouse T cell receptor beta 815
mouse TL immunodeficiency lymphoma 351
Translocation
chromosome human T cell leukemia 867
endoplasmic reticulum antigen processing 489
protooncogene bcl2 Sjoegrens syndrome human 1245
Transmembrane
decay accelerating factor complement 35
Transplant
xenogeneic antigen receptor T lymphocyte 467
Transplantation
class I antigen alloantigen 571
heart cytokine gene 493
Transport
defect class II antigen chain 799
protein interleukin 4 receptor 673
Trichomonas
adhesin iron 311
Trypanosoma
infection transforming growth factor beta 539
neuraminidase sequence domain structure 179
Tumor
growth antigen CD44 isoform 859
necrosis factor alpha sphingosine PGE2 1363
necrosis factor fibrinolysis 729
necrosis factor gene regulation lymphocyte 73
necrosis factor IgE Fc receptor 103
necrosis factor macrophage Leishmania defense 755
necrosis factor mononuclear cell histamine 281
necrosis factor phosphatidylcholine phospholipase C 975
necrosis factor receptor IgG chimera 1483
rejection T lymphocyte interleukin 7 1291
ribonucleotide reductase macrophage nitric oxide 761
vascular permeability factor distribution 1275
Tyrosine
kinase B lymphocyte antigen receptor 381
kinase c Kit gene hemopoiesis 63
V
segment TCR HLA antigen correlation 1139
Vaccine
immunodeficiency virus envelope glycoprotein epitope 1557
malaria recombinant Pfs25 protein antibody 1203
virus lipopeptide cytotoxic T lymphocyte 1665
Vascular
permeability factor distribution tumor 1275
Vbeta
gene myoglobin T cell receptor 83
VCAM1
ICAM1 ELAM1 T lymphocyte stimulation 901
VH
gene family xid mutation 45
Virulence
Salmonella gene mviA mutation mouse 1073
Virus
antigen presentation histocompatibility cytotoxic lymphocyte 133
clearance class I antigen lymphocyte 875
Epstein Barr complement receptor CR2 1299
hepatitis nucleocapsid antigen restricted epitope 1565
HIV gp120 class I epitope 53
HIV1 infection antiserum gp120 gp41 1557
HIV1 nonproliferative monocyte infection 1477
human immunodeficiency gp41 complement C1 1417
human immunodeficiency infection eosinophil 1661
human immunodeficiency lymphocyte gag protein 1593
immunodeficiency gp120 conformation CD4 antigen 407
immunodeficiency Lactobacillus hydrogen peroxide 289
immunodeficiency vaccine envelope glycoprotein epitope 1557
influenza antigen histocompatibility restriction lymphocyte 733
influenza hemagglutinin antigen complex antibody 243
influenza nucleoprotein cytotoxic lymphocyte epitope 425
lipopeptide vaccine cytotoxic T lymphocyte 1665
lymphocytic choriomeningitis immunity CD8 antigen 1425
lymphocytic choriomeningitis persistence cytotoxic lymphocyte 203
Moloney gene long terminal repeat 389
mouse mammary tumor gene superantigen 1255
Xenogeneic
transplant antigen receptor T lymphocyte 467
Xid
mutation VH gene family 45
Yaa
gene mouse auto antibody biosynthesis 1023